



Dai, Wubin, Lei, Yifeng, Zhou, Jia, Zhao, Yan, Zheng, Yunhao, Xu, Man, Wang, Shulin and Shen, Fan

2d photonic crystal layer assisted thiosilicate ceramic plate with red-emitting film for high quality w-leds

[DP-1671558](#)

Javaid, Farhan, Stukowski, Alexander and Durst, Karsten

3d dislocation structure evolution in strontium titanate: Spherical indentation experiments and md simulations

[DP-1671571](#)

Cox, Sophie C., Patel, Sarika, Gbureck, Uwe, Wright, Adrian J. and Grover, Liam M.

A cohesive premixed monetite biocement

[DP-1671592](#)

Gholizadeh, Ahmad

A comparative study of physical properties in fe_3o_4 nanoparticles prepared by coprecipitation and citrate methods

[DP-1671597](#)

Li, Guangrong, Xie, Hua, Yang, Guanjun, Liu, Gang, Li, Chengxin and Li, Changjiu

A comprehensive sintering mechanism for tbcS-part i: An overall evolution with two-stage kinetics

[DP-1671611](#)

Li, Guangrong, Xie, Hua, Yang, Guanjun, Liu, Gang, Li, Chengxin and Li, Changjiu

A comprehensive sintering mechanism for tbcS-part ii: Multiscale multipoint interconnection-enhanced initial kinetics

[DP-1671612](#)

Horiuchi, Naohiro, Iwasaki, Yuki, Nozaki, Kosuke, Nakamura, Miho, Hashimoto, Kazuaki, Nagai, Akiko and Yamashita, Kimihiro

A critical phenomenon of phase transition in hydroxyapatite investigated by thermally stimulated depolarization currents

[DP-1671625](#)

Hu, Zewang, Chen, Xiaopu, Ding, Dongzhou, Cao, Maoqing, Shi, Yun, Kou, Huamin, Chen, Haohong, Xie, Tengfei, Wu, Lexiang, Pan, Yubai and Li, Jiang

A kind of bilayer structure ceramic scintillators designed for phoswich detectors

[DP-1671664](#)

Kim, Seonghyeon, Park, Hyun- A., Bin Im, Won, Heo, Jong, Choi, Jae-Young and Chung, Woon Jin

A low sintering temperature glass based on $\text{SiO}_2\text{-P}_2\text{O}_5\text{-ZnO-B}_2\text{O}_3\text{-R}_2\text{O}$ system for white leds with high color rendering index

[DP-1671675](#)

Liu, Shujiang, Tao, Haizheng, Zhang, Yafei and Yue, Yuanzheng

A new approach for determining the critical cooling rates of nucleation in glass-forming liquids

[DP-1671710](#)

Yu, Ruijin, Jeong, Jung Hyun and Wang, Yin-Feng

A novel Eu^{3+} - and self-activated vanadate phosphor of $\text{Ca}_4\text{La}(\text{VO}_4)_3\text{O}$ with oxyvanadate apatite structure

[DP-1671748](#)

Huo, Wenlong, Yan, Shu, Wu, Jia-Min, Liu, Jingjing, Chen, Yugu, Qu, Yanan, Tang, Xinyue and Yang, Jinlong

A novel fabrication method for glass foams with small pore size and controllable pore structure

[DP-1671749](#)

Kim, Minseuk, Park, Woon Bae, Bang, Bokeuk, Kim, Chang Hae and Sohn, Kee-Sun

A novel Mn^{4+} -activated red phosphor for use in light emitting diodes, $\text{K}_3\text{SiF}_7:\text{Mn}^{4+}$

[DP-1671756](#)

Li, Dan, Ma, Qianli, Song, Yan, Xi, Xue, Dong, Xiangting, Yu, Wensheng, Wang, Jinxian and Liu, Guixia

A novel strategy to achieve $\text{NaGdF}_4:\text{Eu}^{3+}$ nanofibers with color-tailorable luminescence and paramagnetic performance

[DP-1671762](#)

Lin, Sen, Bi, Ke, Pan, Xiaolong, Hao, Yanan, Du, Yinxiao, Liu, Jun, Fan, Dongyu, Wang, Yonggang and Lei, Ming

A one-step way to novel carbon-niobium nitride nanoparticles for efficient oxygen reduction

[DP-1671769](#)

Simons, Philipp, Ji, Ho-Il, Davenport, Timothy C. and Haile, Sossina M.

A piezomicrobalance system for high-temperature mass relaxation characterization of metal oxides: A case study of pr-doped ceria

[DP-1671774](#)

Perejon, Antonio, Sanchez-Jimenez, Pedro E., Criado, Jose M. and Perez-Maqueda, Luis A.

A promising approach to the kinetics of crystallization processes: The sample controlled thermal analysis

[DP-1671789](#)

Yang, Wen-jie, Guo, Jie, Li, Jing, Zhang, Gang, He, Liu-qing and Zhou, Ke-chao

A self-repairing cermet anode: Preparation and corrosion behavior of (cu-ni-fe)/nife₂o₄ cermet with synergistic action

[DP-1671815](#)

Xing, Chen, Yi, Meiyu, Wang, Guowei, Wang, Xin, Guo, Fangwei, Zhao, Xiaofeng and Xiao, Ping

A simple approach to manufacture ceramic coils based on liquid rope coiling effect

[DP-1671821](#)

Panetta, Riccardo and Latini, Alessandro

A simple synthesis of the refractory ceramic sulfide ces by electron beam irradiation

[DP-1671827](#)

Yong, Zi-Jun, Zhou, Yang, Liu, Bo-Mei, Zhou, Dan-Dan and Sun, Hong-Tao

A soft chemistry-based route to near-infrared luminescent bismuth-activated glass films

[DP-1671839](#)

Yin, Xinglian, Zhao, Qing, Zhang, Bo, He, Donglin and Chang, Aimin

A study based on the oxidation vaporization of lacro₃

[DP-1671843](#)

Yu, Linhui, Lin, Yangming, Huang, Jing, Lin, Sen and Li, Danzhen

A visible light photocatalyst of carbonate-like species doped tio₂

[DP-1671907](#)

Zu, Hao, Chen, Tao, Gao, Chao, Fu, Qiuyun, Zhou, Dongxiang, Hu, Yunxiang, Zheng, Zhiping and Luo, Wei

Abnormal reoxidation effects in ba-excess la-doped batio₃ ceramics prepared by the reduction-reoxidation method

[DP-1671917](#)

Callaway, Evan Benjamin and Zok, Frank W.

Accurate determination of fiber strength distributions

[DP-1671937](#)

Welsh, Aaron J., Dezest, Denis, Nicu, Liviu and Troler-McKinstry, Susan

Additively patterned ferroelectric thin films with vertical sidewalls

[DP-1672013](#)

Jimenez, Jose A.

Ag and si codoped phosphate glasses: Plasmonic nanocomposites with enhanced uv transparency

[DP-1672045](#)

Catauro, Michelina, Bollino, Flavia, Cattaneo, Alice Silvia and Mustarelli, Piercarlo

Al₂O₃ center dot 2sio₂ powders synthesized via sol-gel as pure raw material in geopolymer preparation

[DP-1672066](#)

Qian, Jun, Fan, Wenshuo, Du, Gehai, Li, Haochen, Xiang, Hui, Hussain, Ghulam, Liu, Yan, Cui, Xiangxiang, Diko, Pavel, Yao, Xin and Zou, Zhiqiang

Almost complete peritectic reaction in yba₂(cu_{1-x}fx)(₃)o₇-crystallization involving nanosized primary phase

[DP-1672096](#)

Chakravarty, Amrita, Singh, Ravindra, Roy, Sudakshina, Chowdhury, Ujjal, Basu, Sumantra and Biswas, Sampad Kumar

Aluminum nitride-single walled carbon nanotube nanocomposite with superior electrical and thermal conductivities

[DP-1672134](#)

Oey, Tandre, Timmons, Jason, Stutzman, Paul, Bullard, Jeffrey W., Balonis, Magdalena, Bauchy, Mathieu and Sant, Gaurav

An improved basis for characterizing the suitability of fly ash as a cement replacement agent

[DP-1672187](#)

Han, Yao, Li, Shuang, Zhu, Tianbin and Xie, Zhipeng

An oscillatory pressure sintering of zirconia powder: Rapid densification with limited grain growth

[DP-1672209](#)

Mora-Gomez, Julia, Garcia-Gabaldon, Montserrat, Marti-Calatayud, Manuel C., Mestre, Sergio and Perez-Herranz, Valentin

Anion transport through ceramic electro dialysis membranes made with hydrated cerium dioxide

[DP-1672284](#)

Lee, Sunghee and Min, Dong Joon

Anionic effect of chloride, fluoride, and sulfide ions on the viscosity of slag melt

[DP-1672287](#)

Han, Daoyang, Mei, Hui, Farhan, Shameel, Xiao, Shanshan, Xia, Junchao and Cheng, Laifei

Anisotropic compressive properties of porous cnt/sic composites produced by direct matrix infiltration of cnt aerogel

[DP-1672290](#)

He, Wenhui, Jiang, Tong, Li, Qiang, Xi, Xiaoqing and Yan, Qingfeng

Anisotropic domain structures of $\text{pb}(\text{mg}_{1/3}\text{nb}_{2/3})\text{o}_3\text{-pbzro}_3\text{-pbtio}_3$ single crystals with high ferroelectric phase transition temperature

[DP-1672291](#)

Shyu, Jiin-Jyh and Yang, Chia-Wei

Anomalous enhancement of photoluminescence intensity of sintered yag:Ce particles-embedded glasses

[DP-1672318](#)

Nadelman, Elizabeth I. and Kurtis, Kimberly E.

Application of powers' model to modern portland and portland limestone cement pastes

[DP-1672364](#)

Song, Kepeng, Zhang, Hui, Du, Kui, Qi, Dongqing, Chen, Houwen, Wang, Xiaohui, Nie, Jian-Feng and Ye, Hengqiang

Atomic-scale microstructure of $\text{hf}_2\text{al}_4\text{c}_5$ ceramic synthesized by spark plasma sintering

[DP-1672434](#)

Shao, Bo, Yang, Zhengwen, Li, Jun, Yang, Jianzhi, Wang, Yida, Qiu, Jianbei and Song, Zhiguo

Au nanoparticles embedded inverse opal photonic crystals as substrates for upconversion emission enhancement

[DP-1672444](#)

Irfan, Syed, Shen, Yang, Rizwan, Syed, Wang, Huan-Chun, Khan, Sadaf B. and Nan, Ce-Wen

Band-gap engineering and enhanced photocatalytic activity of sm and mn doped bifeo_3 nanoparticles

[DP-1672470](#)

Mesgar, Abdorreza S., Mohammadi, Zahra and Rasouli-Disfani, Fariba

Bioactive monetite-containing whisker-like fibers reinforced chitosan scaffolds

[DP-1672540](#)

Pallicity, Tarkes Dora, Anh-Tuan, Vu, Ramesh, Krishnamurthi, Mahajan, Puneet, Liu, Gang and Dambon, Olaf

Birefringence measurement for validation of simulation of precision glass molding process

[DP-1672550](#)

Asemi, Morteza and Ghanaatshoar, Majid

Boosting the photovoltaic performance of zn₂sno₄-based dye-sensitized solar cells by si doping into zn₂sno₄

[DP-1672566](#)

Grishin, Alexander M. and Markova, Nadezhda P.

Broadband luminescent ferroelectric biocompatible er:(na,k)nbo₃ nanofibers

[DP-1672591](#)

Jia, Hong, Chen, Zhi, Chen, Ping, Xu, Cheng, Liu, Chang, Zhao, Zhiguo, Liu, Xiaofeng and Qiu, Jianrong

Broadband nir photoelectronic performance for sunlight-induced photocurrent from (nayf₄:Yb-er)/bioi hybrid films

[DP-1672593](#)

Gomez-Zamorano, Lauren, Balonis, Magdalena, Erdemli, Bartu, Neithalath, Narayanan and Sant, Gaurav

C-(n)-s-h and n-a-s-h gels: Compositions and solubility data at 25 degrees c and 50 degrees c

[DP-1672607](#)

Jose Sanchez-Herrero, Maria, Fernandez-Jimenez, Ana and Palomo, Angel

C₃s and c₂s hydration in the presence of na₂co₃ and na₂so₄

[DP-1672609](#)

Feng, Lin and Dillon, Shen J.

Cation grain-boundary diffusivity in sio₂- and mgo-doped al₂o₃

[DP-1672721](#)

Biernacki, Joseph J., Bullard, Jeffrey W., Sant, Gaurav, Brown, Kevin, Glasser, Fredrik P., Jones, Scott, Ley, Tyler, Livingston, Richard, Nicoleau, Luc, Olek, Jan, Sanchez, Florence, Shahsavari, Rouz

Cements in the 21(st) century: Challenges, perspectives, and opportunities

[DP-1672749](#)

Roessler, Christiane, Steiniger, Frank and Ludwig, Horst-Michael
Characterization of c-s-h and c-a-s-h phases by electron microscopy
imaging, diffraction, and energy dispersive x-ray spectroscopy
[DP-1672845](#)

Shekhani, Husain, Scholehwar, Timo, Hennig, Eberhard and
Uchino, Kenji
Characterization of piezoelectric ceramics using the burst/transient
method with resonance and antiresonance analysis
[DP-1672876](#)

Pfiffer, Mathilde, Longuet, Jean-Louis, Labrugere, Christine, Fargin,
Evelyne, Bousquet, Bruno, Dussauze, Marc, Lambert, Sebastien,
Cormont, Philippe and Neauport, Jerome
Characterization of the polishing-induced contamination of fused
silica optics
[DP-1672898](#)

Do Van, Lam, Suematsu, Hisayuki and Ogawa, Toru
Characterization of zrn, zro2 and beta '-zr7o11n2 nanoparticles
synthesized by pulsed wire discharge
[DP-1672904](#)

Halabi, Mahdi, Ezersky, Vladimir, Kohn, Amit and Hayun, Shmuel
Charge distribution in nano-scale grains of magnesium aluminate
spinel
[DP-1672910](#)

Funahashi, Shuichi, Guo, Hanzheng, Guo, Jing, Baker, Amanda L.,
Wang, Ke, Shiratsuyu, Kosuke and Randall, Clive A.
Cold sintering and co-firing of a multilayer device with
thermoelectric materials
[DP-1673073](#)

Guo, Hanzheng, Guo, Jing, Baker, Amanda and Randall, Clive A.
Cold sintering process for zro2-based ceramics: Significantly
enhanced densification evolution in yttria-doped zro2
[DP-1673074](#)

Berbano, Seth S., Guo, Jing, Guo, Hanzheng, Lanagan, Michael T.
and Randall, Clive A.
Cold sintering process of li1.5al0.5ge1.5(po4)(3) solid electrolyte
[DP-1673075](#)

Guo, Jing, Baker, Amanda L., Guo, Hanzheng, Lanagan, Michael
and Randall, Clive A.
Cold sintering process: A new era for ceramic packaging and
microwave device development
[DP-1673076](#)

Franks, George V., Tallon, Carolina, Studart, Andre R., Sesso, Mitchell L. and Leo, Silvia

Colloidal processing: Enabling complex shaped ceramics with unique multiscale structures

[DP-1673088](#)

Liao, Ning, Li, Yawei, Jin, Shengli, Xu, Yibiao, Sang, Shaobai and Deng, Zhaojun

Combined effects of boron carbide, silicon, and mwcnts in alumina-carbon refractories on their microstructural evolution

[DP-1673119](#)

Sokolov, Andrey S., Son, Seok Ki, Lim, Donghwan, Han, Hoon Hee, Jeon, Yu-Rim, Lee, Jae Ho and Choi, Changhwan

Comparative study of Al_2O_3 , HfO_2 , and $HfAlO_x$ for improved self-compliance bipolar resistive switching

[DP-1673178](#)

Molin, Christian, Perantie, Jani, Le Goupil, Florian, Weyland, Florian, Sanlialp, Mehmet, Stingelin, Natalie, Novak, Nikola, Lupascu, Doru C. and Gebhardt, Sylvia

Comparison of direct electrocaloric characterization methods exemplified by $0.92\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_{3-0.08}\text{PbTiO}_3$ multilayer ceramics

[DP-1673199](#)

Wang, Dawei, Hussain, Fayaz, Khesro, Amir, Feteira, Antonio, Tian, Ye, Zhao, Quanliang and Reaney, Ian M.

Composition and temperature dependence of structure and piezoelectricity in $(1-x)(\text{K}_{1-y}\text{Na}_y)\text{NbO}_{3-x}(\text{Bi}_{1/2}\text{Na}_{1/2})\text{ZrO}_3$ lead-free ceramics

[DP-1673261](#)

Yin, Jie, Zhao, Chunlin, Zhang, Yuxing and Wu, Jiagang

Composition-induced phase transitions and enhanced electrical properties in bismuth sodium titanate ceramics

[DP-1673286](#)

Liu, Xing, Li, Feng, Zhai, Jiwei, Shen, Bo, Li, Peng and Liu, Baihui

Composition-induced structural transitions and enhanced strain response in nonstoichiometric nbt-based ceramics

[DP-1673287](#)

Okuma, Gaku, Kadowaki, Daiki, Hondo, Tsuyoshi, Sato, Akihiro, Tanaka, Satoshi and Wakai, Fumihiro

Computation of sintering stress and bulk viscosity from microtomographic images in viscous sintering of glass particles

[DP-1673320](#)

Palatnikov, Mikhail N., Sidorov, Nikolay V., Makarova, Olga V., Manukovskaya, Diana V., Aleshina, Ludmila A. and Kadetova, Alexandra V.

Concentration threshold effect on properties of zinc-doped lithium

niobate crystals

[DP-1673345](#)

Morisaki, Nobuhiro, Yoshida, Hidehiro, Tokunaga, Tomoharu,
Sasaki, Katsuhiko and Yamamoto, Takahisa

Consolidation of undoped, monoclinic zirconia polycrystals by flash sintering

[DP-1673378](#)

Bruns, Sebastian, Johanns, Kurt E., Rehman, Hamad Ur, Pharr,
George M. and Durst, Karsten

Constitutive modeling of indentation cracking in fused silica

[DP-1673398](#)

Palkovic, Steven D., Yip, Sidney and Buyukozturk, Oral

Constitutive response of calcium-silicate-hydrate layers under combined loading

[DP-1673399](#)

Yang, Xinyu, Zhang, Mingjie, Yan, Kunlun, Han, Liyuan, Xu, Qin,
Liu, Haitao and Wang, Rongping

Controllable formation of the crystalline phases in ge-ga-s chalcogenide glass-ceramics

[DP-1673461](#)

Cannon, W. Roger, Hoggan, Rita E., Erickson, Arnold, Forsmann,
Bryan, O'Brien, Robert C. and Lessing, Paul A.

Controlled relative humidity storage for high toughness and strength of binderless green pellets

[DP-1673474](#)

Foroughi, Paniz, Zhang, Cheng, Agarwal, Arvind and Cheng, Zhe

Controlling phase separation of taxhf1-xc solid solution nanopowders during carbothermal reduction synthesis

[DP-1673484](#)

Qiao, Beijing, Chen, Feifei, Huang, Yicong, Lin, Ruiqiang, Zhang,
Xiaoyu, Dai, Shixun, Shen, Xiang, Nie, Qiuhua and Zhang,
Xianghua

Correlating structure with threshold behavior of chalcogenide glasses within ge-sn-se ternary system

[DP-1673519](#)

Trivelpiece, Cory L., Rice, Jarrett A., Clark, Nicholas L., Kabius,
Bernd, Jantzen, Carol M. and Pantano, Carlo G.

Corrosion of isg fibers in alkaline solutions

[DP-1673553](#)

Xue, Feihong, Hu, Yihua, Fan, Liumin, Ju, Guifang, Lv, Yang and Li,
Yang

Cr³⁺-activated li₅zn₈al₅ge₉o₃₆: A near-infrared long-afterglow phosphor

[DP-1673577](#)

Sevener, Kathleen M., Tracy, Jared M., Chen, Zhe, Kiser, James D. and Daly, Samantha

Crack opening behavior in ceramic matrix composites

[DP-1673610](#)

Mi, Ruiyu, Liu, Yan-gai, Mei, Lefu, Zhao, Chenglong, Chen, Jian, Huang, Zhaohui and Fang, Minghao

Crystal structure and luminescence properties of a single-component white-light-emitting phosphor $\text{Ca}_8\text{ZnLa}(\text{PO}_4)_7:\text{Eu}^{2+}, \text{Mn}^{2+}$

[DP-1673760](#)

Chen, Wen, Wang, Lingyan, Ren, Wei, Niu, Gang, Zhao, Jinyan, Zhang, Nan, Liu, Ming, Tian, Ye and Dong, Ming

Crystalline phase and electrical properties of lead-free piezoelectric KNN -based films with different orientations

[DP-1673779](#)

Li, Hui, Du, Tao, Xiao, Huigang and Zhang, Qiangqiang

Crystallization of calcium silicate hydrates on the surface of nanomaterials

[DP-1673841](#)

Molla, Atiar R., Rodrigues, Alisson M., Singh, Shiv Prakash, Lancelotti, Ricardo Felipe, Zanotto, Edgar D., Rodrigues, Ana C. M., Dousti, Mohammad Reza, de Camargo, Andrea S. S., Magon, Claudio Jose a

Crystallization, mechanical, and optical properties of transparent, nanocrystalline gadolite glass-ceramics

[DP-1673865](#)

Park, Jongseong, Kim, Dae-Hyeon, Lee, Tae-Gon, Cho, Sung-Hoon, Park, Su-Jin, Ryu, Jungho and Nahm, Sahn

CuO -added $\text{K}_2\text{NbO}_3\text{-BaZrO}_3$ lead-free piezoelectric ceramics with low loss and large electric field-induced strain

[DP-1673895](#)

Bordia, Rajendra K., Kang, Suk-Joong L. and Olevsky, Eugene A.

Current understanding and future research directions at the onset of the next century of sintering science and technology

[DP-1673898](#)

Ni, Wei, Ye, Jianglin, Guo, Youmin, Cheng, Chao, Lin, Zhongqin, Li, Yide, Wang, Hong, Yu, Yi, Li, Qiuju, Huang, Shouguo, Shao, Zongping and Wang, Chunchang

Decisive role of mixed-valence structure in colossal dielectric constant of LaFeO_3

[DP-1673955](#)

Borlaf, Mario, Kubrin, Roman, Aseev, Vladimir, Petrov, Alexander Yu, Nikonorov, Nikolay and Graule, Thomas

Deep submicrometer yag:Ce phosphor particles with high photoluminescent quantum yield prepared by flame spray synthesis

[DP-1673972](#)

Huan, Yu, Wang, Xiaohui, Wei, Tao, Xie, Jing, Ye, Zifan, Zhao, Peiyao and Li, Longtu

Defect engineering of high-performance potassium sodium niobate piezoelectric ceramics sintered in reducing atmosphere

[DP-1673985](#)

Zhang, Lin, Hao, Hua, Zhang, Shujun, Lanagan, Michael T., Yao, Zhonghua, Xu, Qi, Xie, Juan, Zhou, Jing, Cao, Minghe and Liu, Hanxing

Defect structure-electrical property relationship in mn-doped calcium strontium titanate dielectric ceramics

[DP-1674011](#)

Wang, Tao, He, Lihua, Deng, Yunlong, Zheng, Qiaoji, Xie, Fengyu, Xu, Chenggang and Lin, Dunmin

Defect-driven evolution of piezoelectric and ferroelectric properties in $\text{Cu}_{0.2}\text{Ba}_{0.6}\text{Ti}_{0.2}\text{O}_{10}$ -doped $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ lead-free ceramics

[DP-1674013](#)

Rosell, Neon Vicente Bacarro, III, Chen, Yen-Ting and Chang, Kao-Shuo

Defective Y_2O_3 -x-driven anomalous photocatalytic enhancement using Y_2O_3 -x- TiO_2 -x nanorod composite composition spreads

[DP-1674014](#)

Herre, Patrick, Romeis, Stefan, Mackovic, Mirza, Przybilla, Thomas, Paul, Jonas, Schwenger, Jan, Torun, Boray, Grundmeier, Guido, Spiecker, Erdmann and Peukert, Wolfgang

Deformation behavior of nanocrystalline titania particles accessed by complementary insitu electron microscopy techniques

[DP-1674030](#)

Duluard, Sandrine, Paillassa, Aude, Lenormand, Pascal, Taberna, Pierre-Louis, Simon, Patrice, Rozier, Patrick and Ansart, Florence

Dense on porous solid latp electrolyte system: Preparation and conductivity measurement

[DP-1674074](#)

Paseuth, Anongsack, Yamagata, Kazuo, Miura, Akira, Higuchi, Mikio and Tadanaga, Kiyoharu

Deposition and analysis of al-rich $\text{CaAl}_2\text{Si}_2\text{O}_{10}$ coating with preferred orientation

[DP-1674142](#)

Hujova, Miroslava, Pokorny, Richard, Klouzek, Jaroslav, Dixon, Derek R., Cutforth, Derek A., Lee, Seungmin, McCarthy, Benjamin P., Schweiger, Michael J., Kruger, Albert A. and Hrma, Pavel

Determination of heat conductivity of waste glass feed and its applicability for modeling the batch-to-glass conversion

[DP-1674210](#)

Yoo, Jiho, Yoo, Chung-Yul, Yu, Ji-Haeng and Jacobson, Allan J.
Determination of oxygen nonstoichiometry in SrFeO_{3-x} by solid-state coulometric titration

[DP-1674218](#)

Hanifi, Amir R., Sandhu, Navjot K., Etsell, Thomas H. and Sarkar, Partha

Development of a novel proton conducting fuel cell based on a ni-ysz support

[DP-1674274](#)

Zhang, Yingjie, Kong, Linggen, Karatchevtseva, Inna, Aughterson, Robert D., Gregg, Daniel J. and Triani, Gerry

Development of brannerite glass-ceramics for the immobilization of actinide-rich radioactive wastes

[DP-1674279](#)

Borman, Trent M., Ko, Song Won, Mardilovich, Peter and Trolier-McKinstry, Susan E.

Development of crystallographic texture in chemical solution deposited lead zirconate titanate seed layers

[DP-1674283](#)

Aung, Yan Lin and Ikesue, Akio

Development of optical grade $(\text{tbyx}_{1-x})_3\text{Al}_5\text{O}_{12}$ ceramics as faraday rotator material

[DP-1674296](#)

Tripathy, Ashis, Pramanik, Sumit, Manna, Ayan, Radzi, Zamri and Abu Osman, Noor Azuan

Dielectric and ac conductivity studies of novel porous armalcolite nanocomposite-based humidity sensor

[DP-1674331](#)

Zhao, Xiao-gang and Liu, Peng

Dielectric and electric relaxations induced by the complex defect clusters in $(\text{yb} + \text{nb})$ co-doped rutile TiO_2 ceramics

[DP-1674332](#)

Ctibor, Pavel, Cizek, Jakub, Sedlacek, Josef and Lukac, Frantisek

Dielectric properties and vacancy-like defects in plasma-sprayed barium titanate

[DP-1674366](#)

Miller, Jesse Aaron, Reimanis, Ivar E., Miao, Weiguo and Sutorik, Anthony C.

Diffusion limited precipitation of alumina in magnesium aluminate spinel

[DP-1674442](#)

Wiederhorn, Sheldon M., Rizzi, Gabriele, Wagner, Susanne,
Hoffmann, Michael J. and Fett, Theo

Diffusion of water in silica glass in the absence of stresses

[DP-1674460](#)

Bumajdad, Ali

Direct and template-free synthesis of one-dimensional
nanostructures of sodium trititanate and sodium hexatitanate

[DP-1674496](#)

Franchin, Giorgia, Wahl, Larissa and Colombo, Paolo

Direct ink writing of ceramic matrix composite structures

[DP-1674516](#)

Faraz, Ahmad, Maity, Tuhin, Schmidt, Michael, Deepak, Nitin, Roy,
Saibal, Pemble, Martyn E., Whatmore, Roger W. and Keeney, Lynette

Direct visualization of magnetic-field-induced magnetoelectric
switching in multiferroic aurivillius phase thin films

[DP-1674539](#)

Olyaei, Nafiseh Sharifi, Mohebi, Mohammad Masoud and Kaveh,
Reza

Directional properties of ordered 3-3 piezocomposites fabricated by
sacrificial template

[DP-1674547](#)

Kumar, Rishu, Kumar, Kundan and Chowdhury, Anirban

Discrepancies in the hardness data and the role of grinding-induced
surface effects for a porous zirconate ceramic

[DP-1674566](#)

Ushakov, Sergey V., Shvarev, Alexey, Alexeev, Timur, Kapush,
Denys and Navrotsky, Alexandra

Drop-and-catch (dnc) calorimetry using aerodynamic levitation and
laser heating

[DP-1674682](#)

Wang, Peiyi, Li, Jiang, Nunes, Janine, Hao, Shaochang, Liu, Bing
and Chen, Haosheng

Droplet micro-reactor for internal gelation to fabricate zro2 ceramic
microspheres

[DP-1674683](#)

Newlands, Katrina C., Foss, Morten, Matchei, Thomas, Skibsted,
Jorgen and Macphee, Donald E.

Early stage dissolution characteristics of aluminosilicate glasses
with blast furnace slag- and fly-ash-like compositions

[DP-1674751](#)

Halloran, John W.

Editorial on centennial feature about the toughness of glass

[DP-1674760](#)

Halloran, John W.

Editorial on centennial features

[DP-1674761](#)

Halloran, John W.

Editorial on colloidal processing centennial feature

[DP-1674762](#)

Halloran, John W.

Editorial on sintering centennial feature

[DP-1674763](#)

Halloran, John W.

Editorial on the centennial feature "cements in the 21(st) century"

[DP-1674764](#)

Halloran, John W.

Editorial on the centennial feature "movers, shakers, and storers of charge: The legacy of ferroelectricians 1. Eric cross and robert e. Newnham"

[DP-1674765](#)

Mishra, Avinna and Bhattacharjee, Sarama

Effect of a- or b-site doping of perovskite calcium manganite on structure, resistivity, and thermoelectric properties

[DP-1674776](#)

Wang, Yongrui, He, Hongtu, Yu, Jiaxin, Zhang, Yafeng and Hu, Hailong

Effect of absorbed water on the adhesion, friction, and wear of phosphate laser glass at nanoscale

[DP-1674778](#)

Singh, Vijay, Daryapurkar, Aatish, Rajput, Shailendra S., Mukherjee, Somdutta, Garg, Ashish and Gupta, Rajeev

Effect of annealing atmosphere on leakage and dielectric characteristics of multiferroic gallium ferrite

[DP-1674817](#)

Schultheiss, Jan, Clemens, Oliver, Zhukov, Sergey, von Seggern, Heinz, Sakamoto, Wataru and Koruza, Jurij

Effect of degree of crystallographic texture on ferro- and piezoelectric properties of $\text{Ba}_{0.85}\text{Ca}_{0.15}\text{TiO}_3$ piezoceramics

[DP-1674924](#)

Quan, Zhen, Hirayama, Masaaki, Sato, Daichi, Zheng, Yueming, Yano, Taka-aki, Hara, Kosuke, Suzuki, Kota, Hara, Masahiko and Kanno, Ryoji

Effect of excess Li_2S on electrochemical properties of amorphous Li_3PS_4 films synthesized by pulsed laser deposition

[DP-1674947](#)

Rehman, Fida, Wang, Lin, Jin, Hai-Bo, Bukhtiar, Arfan, Zhang, Ruibo, Zhao, Yongjie and Li, Jing-Bo

Effect of Fe/Ta doping on structural, dielectric, and electrical properties of $\text{Bi}_4\text{Ti}_2.5\text{Fe}_{0.25}\text{Ta}_{0.25}\text{O}_{12}$ ceramics

[DP-1674958](#)

Borman, Trent M., Zhu, Wanlin, Wang, Ke, Ko, Song Won, Mardilovich, Peter and Trolier-McKinstry, Susan E.

Effect of lead content on the performance of niobium-doped {100} textured lead zirconate titanate films

[DP-1675104](#)

Kim, Dae-Hyeon, Park, Jongseong, Lee, Tae-Gon, Cho, Sung-Hoon, Park, Su-Jin, Lee, Ku-Tak, Kim, Jong-Hyun and Nahm, Sahn

Effect of Li_2O on the defect polarization in CuO-added $(\text{K}_{0.9}\text{Na}_{0.1})\text{NbO}_3$ piezoelectric ceramics

[DP-1675110](#)

Cai, Delong, Jia, Dechang, Yang, Zhihua, Zhu, Qishuai, Ocelik, Vaclav, Vainchtein, Ilia D., De Hosson, Jeff Th M. and Zhou, Yu

Effect of magnesium aluminum silicate glass on the thermal shock resistance of BN matrix composite ceramics

[DP-1675122](#)

de Oliveira, Regiane C., Zanetti, Sonia M., Assis, Marcelo, Penha, Maya, Mondego, Mayara, Cilense, Mario, Longo, Elson and Cavalcante, Laecio S.

Effect of metallic Ag growth on the electrical resistance of 3D flower-like $\text{Ag}_4\text{V}_2\text{O}_7$ crystals

[DP-1675136](#)

Davis, Calvin, III, Pertuit, Andre L. and Nino, Juan C.

Effect of microwave processing on the crystallization and energy density of $\text{BaO-Na}_2\text{O-Nb}_2\text{O}_5\text{-SiO}_2\text{-B}_2\text{O}_3$ glass-ceramics

[DP-1675162](#)

Koyama, Chihiro, Nozawa, Jun, Fujiwara, Kozo and Uda, Satoshi

Effect of point defects on Curie temperature of lithium niobate

[DP-1675263](#)

Jana, Dulal Chandra, Sundararajan, Govindan and Chattopadhyay, Kamanio

Effect of porosity on structure, Young's modulus, and thermal conductivity of SiC foams by direct foaming and gelcasting

[DP-1675278](#)

Albetran, H. M., O'Connor, B. H. and Low, I. M.

Effect of pressure on TiO_2 crystallization kinetics using in-situ high-temperature synchrotron radiation diffraction

[DP-1675297](#)

Rosero-Navarro, Nataly Carolina, Yamashita, Taira, Miura, Akira, Higuchi, Mikio and Tadanaga, Kiyoharu

Effect of sintering additives on relative density and Li-ion conductivity of Nb-doped $\text{Li}_7\text{La}_3\text{Zr}_{12}$ solid electrolyte

[DP-1675351](#)

Hunnicutt, William, Struble, Leslie and Mondal, Paramita

Effect of synthesis procedure on carbonation of calcium-silicate-hydrate

[DP-1675416](#)

Teranishi, Takashi, Kanemoto, Riku, Hayashi, Hidetaka and Kishimoto, Akira

Effect of the (Ba plus Sr)/Ti ratio on the microwave-tunable properties of $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3$ ceramics

[DP-1675438](#)

Zhang, Shaolin, Nguyen, Son T., Nguyen, Thuy H., Yang, Woochul and Noh, Jin-Seo

Effect of the morphology of solution-grown ZnO nanostructures on gas-sensing properties

[DP-1675456](#)

Liu, Heng-Yu, Som, Sudipta, Sung, Jen-Cheng, Ou, Chang-Ying, Yang, Che-Yuan and Lu, Chung-Hsin

Effects of ammonia concentration on the formation of Cds fabricated via microwave-assisted chemical bath deposition

[DP-1675558](#)

Chen, Yi, Xue, Dandan, Shi, Meng, Jiang, Xianquan, Chen, Zhiqian, Liu, Xiaokui, Liu, Gang and Xu, Zunping

Effects of $\text{Bi}_{0.5}\text{Na}_{0.5}\text{HfO}_3$ addition on the phase structure and piezoelectric properties of (K, Na)NbO₃-based ceramics

[DP-1675569](#)

Jung, Wook Ki, Ma, Ho Jin, Jung, Se Woon and Kim, Do Kyung

Effects of calcination atmosphere on monodispersed spherical particles for highly optical transparent yttria ceramics

[DP-1675572](#)

Amma, Shin-ichi, Luo, Jiawei, Kim, Seong H. and Pantano, Carlo G.

Effects of fictive temperature on the leaching of soda lime silica glass surfaces

[DP-1675601](#)

Ghidelli, Matteo, Sebastiani, Marco, Johanns, Kurt E. and Pharr, George M.

Effects of indenter angle on micro-scale fracture toughness measurement by pillar splitting

[DP-1675620](#)

Yuan, Jingkun, He, Peigang, Jia, Dechang, You, Jinsong, Liu, Xuzhao, Zhang, Yao, Cai, Delong, Yang, Zhihua, Duan, Xiaoming, Wang, Shengjin and Zhou, Yu

Effects of na⁺ substitution cs⁺ on the microstructure and thermal expansion behavior of ceramic derived from geopolymer

[DP-1675649](#)

Lu, Xiaonan, Schreiber, Daniel K., Neeway, James J., Ryan, Joseph V. and Du, Jincheng

Effects of optical dopants and laser wavelength on atom probe tomography analyses of borosilicate glasses

[DP-1675661](#)

Xu, Ran, Tian, Jingjing, Zhu, Qingshan, Zhao, Tian, Feng, Yujun, Wei, Xiaoyong and Xu, Zhuo

Effects of phase transition on discharge properties of plzst antiferroelectric ceramics

[DP-1675676](#)

Lin, Shaojie, Ye, Feng, Ding, Junjie, Yang, Chunping, Ma, Jie, Dong, Shangli and Liu, Qiang

Effects of pore diameters on phase, oxidation resistance, and thermal shock resistance of the porous si₂n₂o ceramics

[DP-1675679](#)

Sun, Qiu, Wang, Weihua, Pan, Yunxing, Liu, Zhikai, Chen, Xiangqun and Ye, Mao

Effects of temperature and electric field on upconversion luminescence in er³⁺-yb³⁺ codoped ba_{0.8}sr_{0.2}tio₃ ferroelectric ceramics

[DP-1675717](#)

Cao, Fangcheng, Hao, Wei, Wang, Xin, Guo, Fangwei, Zhao, Xiaofeng, Rohbeck, Nadia and Xiao, Ping

Effects of water vapor on the oxidation and the fracture strength of sic layer in triso fuel particles

[DP-1675735](#)

Li, Chia-Chen, Liu, Wei- I. and Chen, Yen-Shin

Efficient dispersants for the dispersion of gallium zinc oxide nanopowder in aqueous suspensions

[DP-1675743](#)

Shaohua, Fan, Shikai, Wang, Hongtao, Sun, Shiyu, Sun, Guojun, Gao and Lili, Hu

Efficient dual-mode up-conversion and down-shifting emission in beta-nayf₄:Yb³⁺,er³⁺ microcrystals via ion exchange

[DP-1675746](#)

Kshetri, Yuwaraj K., Joshi, Bhupendra, Armando Diaz-Torres, Luis and Lee, Soo Wohn

Efficient near infrared to visible and near-infrared upconversion emissions in transparent (tm³⁺, er³⁺)--sialon ceramics

[DP-1675749](#)

Gray, Veronica, Kisi, Erich H., Kirstein, Oliver and Stampfl, Anton P. J.

Elastic constants of polycrystalline ti₃alc₂ and ti₃sic₂ measured using coherent inelastic neutron scattering

[DP-1675769](#)

Nakagawa, Yu, Yoshida, Hidehiro, Uehashi, Akinori, Tokunaga, Tomoharu, Sasaki, Katsuhiko and Yamamoto, Takahisa

Electric current-controlled synthesis of batio₃

[DP-1675825](#)

Liu, Zhen, Dong, Xianlin, Liu, Yun, Cao, Fei and Wang, Genshui

Electric field tunable thermal stability of energy storage properties of plzst antiferroelectric ceramics

[DP-1675830](#)

Dong, Yanhao, Wang, Haoren and Chen, I. Wei

Electrical and hydrogen reduction enhances kinetics in doped zirconia and ceria: I. Grain growth study

[DP-1675839](#)

Lopez-Cota, Francisco A., Cepeda-Sanchez, Nayeli M., Diaz-Guillen, Jose A., Dura, Oscar J., Lopez de la Torre, Marco A., Maczka, Mirosław, Ptak, Maciej and Fuentes, Antonio F.

Electrical and thermophysical properties of mechanochemically obtained lanthanide hafnates

[DP-1675849](#)

Alim, Mohammad A., Bak, Tadeusz, Atanacio, Armand, Du Plessis, Johan, Zhou, Meifang, Davis, Joel and Nowotny, Janusz

Electrical conductivity and defect disorder of tantalum-doped tio₂

[DP-1675859](#)

Yu, Yuxi, Xia, Fansen, Huang, Qifan, Fang, Jiyu and An, Linan

Electrical conductivity of silicon carbonitride-reduced graphene oxide composites

[DP-1675867](#)

Seo, Jang Woo, Cha, Jaesung, Won, Sung Ok and Park, Kyeongsoon
Electrical transport and thermoelectric properties of $\text{Ca}_{0.8}\text{Y}_{0.2-x}\text{Dy}_{x}\text{MnO}_3$ ($0 \leq x \leq 0.2$)

[DP-1675907](#)

Shi, Jing, Tian, Wenchao, Liu, Xiao and Fan, Huiqing
Electric-field induced phase transition and fatigue behaviors of $(\text{Bi}_{0.5+x}/2\text{Na}_{0.5-x}/2)(0.94)\text{Ba}_{0.06}\text{Ti}_{1-x}\text{Fe}_x\text{O}_3$ ferroelectrics

[DP-1675969](#)

Wang, Ke, Yao, Fang-Zhou, Koruza, Jurij, Cheng, Li-Qian, Schader, Florian H., Zhang, Mao-Hua, Roedel, Juergen, Li, Jing-Feng and Webber, Kyle G.

Electromechanical properties of CaZrO_3 modified $(\text{K},\text{Na})\text{NbO}_3$ -based lead-free piezoceramics under uniaxial stress conditions

[DP-1676008](#)

Majkut, Marta, Daniels, John E., Wright, Jonathan P., Schmidt, Soren and Oddershede, Jette

Electromechanical response of polycrystalline barium titanate resolved at the grain scale

[DP-1676017](#)

Deng, Shiqing, Cheng, Shaobo, Zhang, Yang, Tan, Guotai and Zhu, Jing

Electron beam-induced dynamic evolution of vortex domains and domain walls in single crystalline YMnO_3

[DP-1676020](#)

Du, Wan-Ying, Zhang, Zi-Bo, Ren, Shuai, Wong, Wing-Han, Yu, Dao-Yin, Pun, Edwin Yue-Bun and Zhang, De-Long

Electro-optic property of $\text{Mg}^{2+}/\text{Er}^{3+}$ -codoped LiNbO_3 crystal: Mg^{2+} concentration threshold effect

[DP-1676065](#)

Hasanpoor, Meisam, Aliofkhaeaei, Mahmood and Hosseinali, Massoud

Electrophoretic deposition of $\text{ZnO}-\text{CeO}_2$ mixed oxide nanoparticles

[DP-1676073](#)

Dong, Xue, Liu, Jiaqi, Li, Xiutao, Zhang, Xiuju, Xue, Yunjia, Liu, Jiachen and Guo, Anran

Electrospun mullite nanofibers derived from diphasic mullite sol

[DP-1676075](#)

Zeng, Huidan, Ye, Feng, Li, Xiang, Jiang, Qi, Chen, Guorong, Chen, Jianding and Sun, Luyi

Elucidating the role of AlO_6 -octahedra in aluminum silicophosphate glasses through topological constraint theory

[DP-1676103](#)

Qiao, Xuebin and Tsuboi, Taiju

Emission from mo-o charge-transfer state and yb³⁺ emission in eu³⁺-doped and nondoped molybdates under uv excitation

[DP-1676108](#)

Tolman, Kevin, Ubic, Rick, Liu, Bing, Williamson, Izaak, Bedke, Katherine, Nelson, Eric B., Li, Lan and Chen, Xiang Ming

Empirical evidence for a-site order in perovskites

[DP-1676112](#)

Zhou, Liang, Chen, Meng, Dong, Yanli and Yuan, Zhanwei

Enhanced dielectric and microwave absorption properties of cr/al₂o₃ coatings deposited by low-power plasma spraying

[DP-1676150](#)

Shao, Gang, Peng, Wenfeng, Ma, Chao, Zhao, Wanyu, Guo, Jingxia, Feng, Yuqi, Wang, Hailong, Zhang, Rui and An, Linan

Enhanced electric conductivity of polymer-derived sicc ceramics by microwave post-treatment

[DP-1676153](#)

Hao, Shenglan, Li, Jinhong, Yang, Pei, Wei, Lingling and Yang, Zupei

Enhanced electrical properties and strong red light-emitting in eu³⁺-doped sr_{1.90}ca_{0.15}na_{0.9}nb₅o₁₅ ceramics

[DP-1676154](#)

Peng, Ping, Nie, Hengchang, Liu, Zhen, Ren, Weijun, Cao, Fei, Wang, Genshui and Dong, Xianlin

Enhanced ferroelectric properties and thermal stability of mn-doped 0.96(bi-0.5 na-0.5)tio₃-0.04bialo(3) ceramics

[DP-1676161](#)

Liu, Ran, Gao, Linjie, Li, Longjiang, Zha, Xinyu, Wang, Jianglong, Fu, Guangsheng and Wang, Shufang

Enhanced high-temperature thermoelectric performance of cdo ceramics with randomly distributed micropores

[DP-1676167](#)

Madolappa, Shivanand, Ponraj, Bharathi, Bhimireddi, Rajasekhar and Varma, Kalidindi B. R.

Enhanced magnetic and dielectric properties of ti-doped yfeo₃ ceramics

[DP-1676172](#)

Liu, Pengdong, Sun, Huajun, Liu, Xiaofang, Sui, Huiting, Zhang, Yong, Zhou, Dingguo, Guo, Qinghu and Ruan, Yong

Enhanced photocatalytic performance of bi₂fe₄o₉/graphene via modifying graphene composite

[DP-1676180](#)

Yang, Shuang, Chen, Fei, Gao, Xiaoyi, Shen, Qiang and Zhang,
Lianmeng

Enhanced power factor of textured al-doped-zno ceramics by field-assisted deforming

[DP-1676186](#)

Nie, Hengchang, Yu, Yin, Liu, Yusheng, He, Hongliang, Wang,
Genshui and Dong, Xianlin

Enhanced shock performance by disperse porous structure:A case study in pzt95/5 ferroelectric ceramics

[DP-1676188](#)

Jain, Aditya, Panwar, Amrish K., Saroha, Rakesh and Jha, A. K.

Enhanced structural, dielectric, ferroelectric, and piezoelectric properties of $(1-x)\text{Ba}_{0.9}\text{Sr}_{0.1}\text{TiO}_3$ - $(x)\text{Ba}_{0.7}\text{Ca}_{0.3}\text{TiO}_3$ ceramics derived using mechano-chemical activation technique

[DP-1676190](#)

Tan, Xing, Lan, Jin-le, Ren, Guangkun, Liu, Yaochun, Lin, Yuan-Hua and Nan, Ce-Wen

Enhanced thermoelectric performance of n-type $\text{Bi}_2\text{O}_2\text{Se}$ by Cl-doping at Se site

[DP-1676197](#)

Zhang, Xiangchao, Xu, Difa, Huang, Duan, Liu, Fang, Xu, Kaiqiang, Wang, Hongxia and Zhang, Shiyong

Enhanced visible-light-driven photocatalytic activities of LiNO_2 by Mo^{6+} -doping strategy

[DP-1676203](#)

Deutz, Daniella B., Mascarenhas, Neola T., van der Zwaag, Sybrand and Groen, Wilhelm A.

Enhancing energy harvesting potential of $(\text{K},\text{Na},\text{Li})\text{NbO}_3$ -epoxy composites via Li substitution

[DP-1676210](#)

Grosso, Robson L., Muccillo, Eliana N. S. and Castro, Ricardo H. R.
Enthalpies of formation in the scandia-zirconia system

[DP-1676216](#)

Wu, Li-Xiang, Guo, Wei-Ming, Zeng, Ling-Yong and Lin, Hua-Tay

Equiaxed $\beta\text{-Si}_3\text{N}_4$ ceramics prepared by rapid reaction-bonding and post-sintering using $\text{TiO}_2\text{-Y}_2\text{O}_3\text{-Al}_2\text{O}_3$ additives

[DP-1676237](#)

Yoshimura, Fumitaka and Yamane, Hisanori

Eu^{2+} -doped strontium aluminum silicon nitrides having -sialon and polytypoid structures

[DP-1676300](#)

Purwar, Anupam, Thiruvencatam, Venkateswaran and Basu, Bikramjit

Experimental and computational analysis of thermo-oxidative-structural stability of zrb2-sic-ti during arc-jet testing

[DP-1676397](#)

Jiang, Bo, Xiao, Jiusan, Huang, Kai, Hou, Jungang, Jiao, Shuqiang and Zhu, Hongmin

Experimental and first-principles study of ti-c-o system: Interplay of thermodynamic and structural properties

[DP-1676399](#)

Rejasse, Florian, Rapaud, Olivier, Trolliard, Gilles, Masson, Olivier and Maitre, Alexandre

Experimental investigation and thermodynamic evaluation of the c-hf-o ternary system

[DP-1676411](#)

Konar, Bikram, Hudon, Pierre and Jung, In-Ho

Experimental investigation of the lialsi2o6-mgsio3 and lialsi2o6-camgsi2o6 isopleths at 1atm

[DP-1676414](#)

Chen, JunHong, Zhang, ZhiHao, Mi, WenJun, Wang, EnHui, Li, Bin, Chou, Kuo-Chih and Hou, XinMei

Fabrication and oxidation behavior of al4sic4 powders

[DP-1676483](#)

Reimann, Timmy, Bochmann, Arne, Vogel, Andy, Capraro, Beate, Teichert, Steffen and Toepfer, Joerg

Fabrication of a transversal multilayer thermoelectric generator with substituted calcium manganite

[DP-1676495](#)

Yang, Guang, Mao, Xiaoxiao, Wang, Duojin, Chen, Hongfei, Liu, Bin, Cui, Yuanyuan, Luo, Hongjie and Gao, Yanfeng

Fabrication of columnar structured lanthanum zirconate films by laser cvd

[DP-1676502](#)

Yuan, Kangkang, Yu, Zhichao, Xu, Chonghe, Feng, Cong, Gan, Xinzhu, Wang, Xinqiang, Zhu, Luyi, Zhang, Guanghui and Xu, Dong

Fabrication of dense barium zirconate fibers by electrospinning with different complex agents

[DP-1676504](#)

Su, Chung-Yi, Wang, Chih-Chieh, Hsueh, Yang-Chih, Gurylev, Vitaly, Kei, Chi-Chung and Perng, Tsong-Pyng

Fabrication of highly homogeneous al-doped tio2 nanotubes by nanolamination of atomic layer deposition

[DP-1676511](#)

Zhou, Wei, Zheng, Yong, Zhao, Yijie, Zhang, Guotao, Dong, Zuwei and Xiong, Weihao

Fabrication of ti(c,n)-based cermets by in situ carbothermal reduction of moo₃ and subsequent liquid sintering

[DP-1676543](#)

Duan, Pingping, Liu, Peng, Xu, Xiaodong, Wang, Wei, Wan, Zhong, Zhang, Shouyi, Wang, Yinzhen and Zhang, Jian

Fabrication of transparent tb₃al₅o₁₂ ceramics by hot isostatic pressing sintering

[DP-1676553](#)

Thornton, John, Wood, Chris, Kimpton, Justin A., Sesso, Mitchell, Zonneveldt, Matthew and Armstrong, Nicholas

Failure mechanisms of calcium magnesium aluminum silicate affected thermal barrier coatings

[DP-1676607](#)

Liu, Juan, Liu, Xiao Qiang and Chen, Xiang Ming

Ferroelectric and magnetic properties in (1-x)bifeo₃-x(0.5scatio(3)-0.5smfeo(3)) ceramics

[DP-1676651](#)

Wu, Longwen, Wang, Xiaohui, Shen, Zhengbo and Li, Longtu

Ferroelectric to relaxor transition in batio₃-bi(zn₂/3nb₁/3)o-3 ceramics

[DP-1676665](#)

Baraskar, Bharat G., Kambale, Rahul C., James, Ajit R., Mahesh, Manepalli L., Ramana, Chintalapalle V. and Kolekar, Yessappa D.

Ferroelectric, piezoelectric and electrostrictive properties of sn⁴⁺-modified ba_{0.7}ca_{0.3}tio₃ lead-free electroceramics

[DP-1676667](#)

Laha, Suvra S., Abdelhamid, Ehab, Arachchige, Maheshika P., Kumar, Ajay and Dixit, Ambesh

Ferroic ordering and charge-spin-lattice order coupling in gd-doped fe₃o₄ nanoparticles relaxor multiferroic system

[DP-1676675](#)

Vermillac, M., Lupi, J. F., Peters, F., Cabie, M., Vennegues, P., Kucera, C., Neisius, T., Ballato, J. and Blanc, W.

Fiber-draw-induced elongation and break-up of particles inside the core of a silica-based optical fiber

[DP-1676686](#)

Chan, Jason H., Bock, Jonathan A., Guo, Hanzheng, Trolrier-McKinstry, Susan and Randall, Clive A.

Filled oxygen-deficient strontium barium niobates

[DP-1676701](#)

Kang, Sung Gu and Sholl, David S.

First-principles investigation of chemical stability and proton conductivity of m-doped BaZrO_3 (m=k, rb, and cs)

[DP-1676741](#)

Xiang, Huimin, Feng, Zhihai, Li, Zhongping and Zhou, Yanchun

First-principles investigations on elevated temperature elastic and thermodynamic properties of ZrB_2 and HfB_2

[DP-1676742](#)

Kok, David, Jha, Shikhar Krishn, Raj, Rishi and Mecartney, Martha L.

Flash sintering of a three-phase alumina, spinel, and yttria-stabilized zirconia composite

[DP-1676756](#)

Perez-Maqueda, Luis A., Gil-Gonzalez, Eva, Perejon, Antonio, Lebrun, Jean-Marie, Sanchez-Jimenez, Pedro E. and Raj, Rishi

Flash sintering of highly insulating nanostructured phase-pure BiFeO_3

[DP-1676758](#)

Sahu, Sulata K., Boatner, Lynn A. and Navrotsky, Alexandra

Formation and dehydration enthalpy of potassium hexaniobate

[DP-1676813](#)

Skjaervo, Susanne Linn, Sommer, Sanna, Norby, Peter, Bojesen, Espen Drath, Grande, Tor, Iversen, Bo B. and Einarsrud, Mari-Ann

Formation mechanism and growth of MnBO_3 , m=k, na by insitu x-ray diffraction

[DP-1676828](#)

Liu, Chuyang, Chen, Yujie, Yue, Yangyu, Tang, Yu, Wang, Zongrong, Ma, Ning and Du, Piyi

Formation of $\text{BaFe}_{12}\text{-xNb}_x\text{O}_{19}$ and its high electromagnetic wave absorption properties in millimeter wave frequency range

[DP-1676849](#)

Elishav, Oren, Beilin, Vadim, Shter, Gennady E., Dinner, Omry, Halperin, Victor and Grader, Gideon S.

Formation of core-shell mesoporous ceramic fibers

[DP-1676863](#)

Cook, Robert F.

Fracture mechanics of sharp scratch strength of polycrystalline alumina

[DP-1676959](#)

Presenda, Alvaro, Dolores Salvador, Maria, Vleugels, Jozef, Moreno, Rodrigo and Borrell, Amparo

Fretting fatigue wear behavior of y-tzp dental ceramics processed by non-conventional microwave sintering

[DP-1677037](#)

Trapp, Maximilian, Mueller, Mathis M., Nazarpour, Zahra and Kleebe, Hans-Joachim

Full reoxidation of CuMn_2O_4 spinel catalyst triggered by epitaxial Mn_3O_4 surface nanocrystals

[DP-1677043](#)

Brewer, Steven J., Williams, Samuel C., Deng, Carmen Z., Naden, Aaron B., Neumayer, Sabine M., Rodriguez, Brian J., Kumar, Amit and Bassiri-Gharb, Nazanin

Functional and structural effects of layer periodicity in chemical solution-deposited $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin films

[DP-1677046](#)

Zhang, Shengke, Sahin, Hasan, Torun, Engin, Peeters, Francois, Martien, Dinesh, DaPron, Tyler, Dilley, Neil and Newman, Nathan

Fundamental mechanisms responsible for the temperature coefficient of resonant frequency in microwave dielectric ceramics

[DP-1677054](#)

Cheng, Lihong, Zheng, Liaoying, Zeng, Jiangtao, Zhao, Kunyu, Shi, Xue, Ruan, Xuezheng, Li, Guorong, Yang, Jia and Liu, Yi

Further analysis of high-voltage ZnO varistor prepared from novel chemically aided method

[DP-1677090](#)

Qiu, Jiahua, Yang, Anping, Zhang, Mingjie, Li, Lei, Zhang, Bin, Tang, Dingyuan and Yang, Zhiyong

Ga_2S_3 - Sb_2S_3 - CSi chalcogenide glasses for mid-infrared applications

[DP-1677125](#)

Cilla, Marcelo S., de Mello Innocentini, Murilo D., Morelli, Marcio R. and Colombo, Paolo

Geopolymer foams obtained by the saponification/peroxide/gelcasting combined route using different soap foam precursors

[DP-1677175](#)

Wu, Lei, Shen, Bo, Hu, Querui, Chen, Jing, Wang, Yiping, Xia, Yidong, Yin, Jiang and Liu, Zhiguo

Giant electromechanical strain response in lead-free SrTiO_3 -doped $(\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{-BaTiO}_3)$ - LiNbO_3 piezoelectric ceramics

[DP-1677181](#)

Lambertson, Raef H., Lacy, Christie A., Gillespie, Samuel D., Leopold, Michael C. and Coppage, Ryan H.

Gold nanoparticle colorants as traditional ceramic glaze alternatives

[DP-1677252](#)

Yao, Tiankai, Mo, Kun, Yun, Di, Nanda, Sonal, Yacout, Abedellatif M. and Lian, Jie

Grain growth and pore coarsening in dense nano-crystalline UO_{2+x} fuel pellets

[DP-1677269](#)

Liu, Baibo, Wang, Xiaohui, Zhang, Ruoxi and Li, Longtu

Grain size effect and microstructure influence on the energy storage properties of fine-grained BaTiO₃-based ceramics

[DP-1677287](#)

Wang, Yongzhe, Xu, Fangfang, Gauvin, Raynald, Kong, Mingguang, Khan, Matiullah, Liu, Ziwei and Zeng, Yi

Growth modes for monoclinic yttria-stabilized zirconia during the martensitic transformation

[DP-1677399](#)

Dursun, Sinan, Mensur-Alkoy, Ebru, Sabuncu, Abdulsamet, Berksoy-Yavuz, Ayse, Gulgun, Mehmet Ali and Alkoy, Sedat

Growth of NbT template particles through topochemical microcrystal conversion and their structural characterization

[DP-1677422](#)

Wang, Yaojin, Ma, He, Yuan, Guoliang, Luo, Haosu and Viehland, Dwight

Heterogeneous domain configurations in ferroelectric crystals during thermal depolarization

[DP-1677498](#)

Zhang, Guangzu, Chen, Mo, Fan, Baoyan, Liu, Yang, Li, Mingyu, Jiang, Shenglin, Huang, Houbing, Liu, Huan, Li, Honglang and Wang, Qing

High electrocaloric effect in hot-pressed Pb_{0.85}La_{0.1}(Zr_{0.65}Ti_{0.35})O₃ ceramics with a wide operating temperature range

[DP-1677509](#)

Larrimbe, Laura, Pettina, Michele, Nikbin, Kamran, Jones, Eric L., Katz, Allan P., Hawkins, Christopher J., DeCervo, Jennifer, Brown, Peter and Vandeperre, Luc J.

High heat flux laser testing of HfB₂ cylinders

[DP-1677514](#)

Liu, Xiaoting, Li, Yuan, Yang, Tiantian, Cao, Zhenzhu, He, Weiyan, Gao, Yanfang, Liu, Jinrong, Li, Guorong and Li, Zhi

High lithium ionic conductivity in the garnet-type oxide $\text{Li}_{7-2x}\text{La}_3\text{Zr}_2\text{-xM}_x\text{O}_{12}$ ($x=0-0.3$) ceramics by sol-gel method

[DP-1677515](#)

Costa, Francine Bettio, Yukimitu, Keizo, de Oliveira Nunes, Luiz Antonio, Figueiredo, Marcio da Silva, Silva, Junior Reis, da Cunha Andrade, Luis Humberto, Lima, Sandro Marcio and Silos Moraes, Joao C

High $\text{Nd}^{3+}/\text{Yb}^{3+}$ energy transfer efficiency in tungsten-tellurite glass: A promising converter for solar cells

[DP-1677517](#)

Zhen, Yuhua, Li, Linling, Lin, Yaning, Wang, Ke, Zhu, Fangyuan and Jia, Kaili

High $q(m)$ values and humidity effect on the electrical properties of $(\text{K}, \text{Na})\text{NbO}_3$ lead-free piezoceramics doped with B_2O_3 - CuO mixed oxides

[DP-1677523](#)

Li, Wen-Bo, Zhou, Di, Pang, Li-Xia, Dai, Yan-Zhu, Qi, Ze-Ming, Wang, Qiu-Ping and Liu, Han-Chen

High quality factor microwave dielectric ceramics in the $(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_2\text{-ZrO}_2\text{-TiO}_2$ ternary system

[DP-1677524](#)

Seo, Yu-Kwang, Kim, Young-Wook, Nishimura, Toshiyuki and Seo, Won-Seon

High thermal conductivity of spark plasma sintered silicon carbide ceramics with yttria and scandia

[DP-1677528](#)

Zhang, Tiandong, Li, Weili, Hou, Yafei, Yu, Yang, Song, Ruixuan, Cao, Wenping and Fei, Weidong

High-energy storage density and excellent temperature stability in antiferroelectric/ferroelectric bilayer thin films

[DP-1677537](#)

Zhang, Bi, Wang, Jun-Wei, Hao, Lu-Yuan, Xu, Xin, Agathopoulos, Simeon, Yin, Liang-Jun, Wang, Cheng-Ming and Hintzen, Hubertus T.

Highly stable red-emitting $\text{Sr}_2\text{Si}_5\text{N}_8:\text{Eu}^{2+}$ phosphor with a hydrophobic surface

[DP-1677561](#)

Hung, Ching-cheh, Hurst, Janet, Santiago, Diana, Lizcano, Maricela and Kelly, Marisabel

Highly thermally conductive hexagonal boron nitride/alumina composite made from commercial hexagonal boron nitride

[DP-1677563](#)

Gou, Jing, Fan, Jingyan, Zuo, Shengnan, Luo, Meng, Chen, Yali, Zhou, Xiaomeng, Yang, Yang, Yu, Binxun and Liu, Shengzhong Frank

Highly thermally stable and emission color tunable borate glass for white-light-emitting diodes with zero organic resin

[DP-1677564](#)

Lotti, Paolo, Gatta, Giacomo Diego, Comboni, Davide, Guastella, Giorgio, Merlini, Marco, Guastoni, Alessandro and Liermann, Hanns-Peter

High-pressure behavior and p-induced phase transition of $\text{Ca}_3\text{O}_4(\text{OH})_3 \cdot \text{H}_2\text{O}$ (colemanite)

[DP-1677574](#)

Gatta, Giacomo Diego, Lotti, Paolo, Comboni, Davide, Merlini, Marco, Vignola, Pietro and Liermann, Hanns-Peter

High-pressure behavior of $(\text{Cs},\text{K})\text{Al}_4\text{Be}_5\text{B}_{11}\text{O}_{28}$ (londonite): A single-crystal synchrotron diffraction study up to 26 gpa

[DP-1677575](#)

Miyakawa, Masashi, Kobayashi, Kiyoshi and Taniguchi, Takashi

High-pressure synthesis of a $12\text{CaO} \cdot 7\text{Al}_2(\text{OH})_3 \cdot 12\text{SrO} \cdot 7\text{Al}_2(\text{OH})_3$ solid solution

[DP-1677588](#)

Koryttseva, Anastasia and Navrotsky, Alexandra

High-temperature calorimetric study of oxide component dissolution in a $\text{CaO-MgO-Al}_2\text{O}_3\text{-SiO}_2$ slag at 1450 degrees c

[DP-1677621](#)

Liu, Yaochun, Liu, Junfu, Tan, Xing, Li, Yueming, Liu, Rui, Lin, Yuanhua and Nan, Cewen

High-temperature electrical and thermal transport behaviors in layered structure WSe_2

[DP-1677663](#)

Glymond, Daniel, Vick, Michael J., Giuliani, Finn and Vandeperre, Luc J.

High-temperature fracture toughness of mullite with monoclinic zirconia

[DP-1677682](#)

Hagan, Joseph M. and Opila, Elizabeth J.

High-temperature Na_2SO_4 deposit-assisted corrosion of silicon carbide-ii: Effects of b, c, and si

[DP-1677710](#)

Hussain, Ahmad, Qaiser, Muhammad Adnan, Zhang, Ji, Zhang, Shan-Tao, Wang, Yiping, Yang, Ying, Liu, Zhiguo and Yuan, Guoliang

High-temperature piezoelectric properties of 0-3 type $\text{Ca}_{1-x}\text{Ba}_x\text{Ti}_4\text{O}_{15}:\text{X}$ wt% BiFeO_3 composites

[DP-1677724](#)

Demirskyi, Dmytro, Solodkyi, Ievgen, Nishimura, Toshiyuki, Sakka, Yoshio and Vasylyk, Oleg

High-temperature strength and plastic deformation behavior of niobium diboride consolidated by spark plasma sintering

[DP-1677741](#)

Casillas, Danielle C., Wilkinson, Dan C., Lai, Chun-Han, Wilke, Stephen K., Ignatowich, Michael J., Haile, Sossina M. and Dunn, Bruce S.

High-temperature structural stability of ceria-based inverse opals

[DP-1677752](#)

Ho, Kuan-Hung and Wang, John

Hydrazine reduction of LaNiO_3 for active materials in supercapacitors

[DP-1677860](#)

Hirano, Masanori and Ishikawa, Katsuya

Hydrothermal formation and up-conversion luminescence of Er^{3+} -doped Gd_2NbO_7

[DP-1677884](#)

Prakasam, Mythili, Albino, Marjorie, Lebraud, Eric, Maglione, Mario, Elissalde, Catherine and Largeteau, Alain

Hydroxyapatite-barium titanate piezocomposites with enhanced electrical properties

[DP-1677913](#)

Schell, Karl G., Wagner, Susanne, Hettich, Pascal, Fett, Theo, Rizzi, Gabriele and Hoffmann, Michael J.

Identification of residual stress layers at glass surfaces via crack terminating angles

[DP-1677927](#)

Blyth, Anna, Eiben, Catherine A., Scherer, George W. and White, Claire E.

Impact of activator chemistry on permeability of alkali-activated slags

[DP-1677946](#)

Cao, Yejie, Gao, Yan and An, Linan

Impedance spectroscopy study on polymer-derived amorphous SiAlCO

[DP-1677962](#)

Wang, Jing, Lu, Zhenya, Deng, Tengfei, Zhong, Caifu and Chen, Zhiwu

Improved dielectric properties in a-site nickel-doped $\text{Ca}_{0.3}\text{Ti}_{0.4}\text{O}_{12}$ ceramics

[DP-1677977](#)

Li, Mingyu, Chan, Ngai Yui and Wang, Danyang

Improved thermal stability of the piezoelectric properties of (Li, Ag)-co-modified (K, Na) NbO_3 -based ceramics prepared by spark plasma sintering

[DP-1678000](#)

Gallo, Leonardo Sant'Ana, Celarie, Fabrice, Audebrand, Nathalie, Martins Rodrigues, Ana Candida, Zanotto, Edgar Dutra and Rouxel, Tanguy

In situ crystallization and elastic properties of transparent $\text{MgO-Al}_2\text{O}_3\text{-SiO}_2$ glass-ceramic

[DP-1678032](#)

Meunier, Christophe, Zuo, Fei, Peillon, Nathalie, Saunier, Sebastien, Marinel, Sylvain and Goeuriot, Dominique

In situ study on microwave sintering of ZTA ceramic: Effect of ZrO₂ content on densification, hardness, and toughness

[DP-1678043](#)

Wang, Zehua, Ma, Shuhua, Zheng, Shili and Wang, Xiaohui

Incorporation of Al and Na in hydrothermally synthesized tobermorite

[DP-1678059](#)

Yang, Qingqing, Meng, Bin, Lin, Zuoliang, Zhu, Xinkun, Yang, Feng and Wu, Shan

Increased electrical conductivity and the mechanism of samarium-doped $\text{CeO}_2/\text{Al}_2\text{O}_3$ nanocomposite electrolyte

[DP-1678068](#)

Muhammad, Raz and Khesro, Amir

Influence of a-site nonstoichiometry on the electrical properties of BT-BMT

[DP-1678121](#)

Rojas, Virginia, Koruza, Jurij, Patterson, Eric A., Acosta, Matias, Jiang, Xijie, Liu, Na, Dietz, Christian and Roedel, Juergen

Influence of composition on the unipolar electric fatigue of $\text{Ba}(\text{Zr}_{0.2}\text{Ti}_{0.8})\text{O}_{3-(\text{Ba}_{0.7}\text{Ca}_{0.3})\text{TiO}_3$ lead-free piezoceramics

[DP-1678144](#)

Zhang, Hui, Hu, Tao, Li, Zhaojin, Zhang, Yanhui, Hu, Minmin, Wang, Xiaohui and Zhou, Yanchun

Influence of ordered carbon-vacancy networks on the electronic structures and elastic properties of $\text{Nb}_4\text{AlC}_{3-x}$

[DP-1678218](#)

Ranjbar, Navid and Kuenzel, Carsten

Influence of preheating of fly ash precursors to produce geopolymers

[DP-1678242](#)

Xingyu, Fan, Hongjie, Wang, Min, Niu, Lei, Su, Jun, Zhou, Jinpeng, Fan and Dahai, Zhang

Influence of sintering additives on densification kinetics and high-temperature strength in $\gamma\text{-Y}_2\text{Si}_2\text{O}_7$ ceramics

[DP-1678258](#)

Kim, Youngjae, Yanaba, Yutaka and Morita, Kazuki

Influence of structure and temperature on the thermal conductivity of molten $\text{CaO-B}_2\text{O}_3$

[DP-1678271](#)

Lebrun, J. M., Hellberg, C. S., Jha, S. K., Kriven, W. M., Steveson, A., Seymour, K. C., Bernstein, N., Erwin, S. C. and Raj, R.

In-situ measurements of lattice expansion related to defect generation during flash sintering

[DP-1678387](#)

Liu, Songbin, Ye, Xinyu, Liu, Shuifu, Chen, Mengyao, Niu, Hu, Hou, Dejian and You, Weixiong

Intense upconversion luminescence and energy-transfer mechanism of $\text{Ho}^{3+}/\text{Yb}^{3+}$ co-doped SrLu_2O_4 phosphor

[DP-1678414](#)

Myers, Dwight L., Kulis, Michael J., Horwath, Joseph P., Jacobson, Nathan S. and Fox, Dennis S.

Interactions of Ta_2O_5 with water vapor at elevated temperatures

[DP-1678439](#)

Wang, Xin, Zhu, Shenglong, Li, Zhengxian, Zhang, Yusheng, Chen, Minghui and Wang, Fuhui

Interfacial microstructure evolution of glass-based coating on Inconel 10 superalloy with a Ni_3Al bond-coat at 1050 degrees C

[DP-1678473](#)

Poerschke, David L., Rossol, Michael N. and Zok, Frank W.

Intermediate temperature oxidative strength degradation of a SiC/SiCN composite with a polymer-derived matrix

[DP-1678495](#)

Chen, Xiaowu, Feng, Qian, Gao, Le, Zhang, Xiangyu, Dong, Shaoming, Wang, Jingxiao, Zhong, Qiang, Kan, Yanmei and Ni, Dewei

Interphase degradation of three-dimensional $\text{C}/\text{SiC-ZrC-ZrB}_2$ composites fabricated via reactive melt infiltration

[DP-1678523](#)

Hoemke, Joshua, Tochigi, Eita, Tohei, Tetsuya, Yoshida, Hidehiro, Shibata, Naoya, Ikuhara, Yuichi and Sakka, Yoshio

Inversion domain boundaries in mn and al dual-doped zno: Atomic structure and electronic properties

[DP-1678549](#)

Chen, Lei, Fan, Huiqing and Zhang, Shujun

Investigation of mno₂-doped (ba, ca)tio₃ lead-free ceramics for high power piezoelectric applications

[DP-1678567](#)

Gao, Yuan, Qiu, Jianbei and Zhou, Dacheng

Investigation of optical properties: Eu with al codoping in aluminum silicate glasses and glass-ceramics

[DP-1678570](#)

Caisso, Marie, Boulesteix, Remy, Picart, Sebastien, Maitre, Alexandre, Delahaye, Thibaud and Ayrat, Andre

Investigation of the sintering mechanisms of gdc pellets obtained by the compaction of nanostructured oxide microspheres

[DP-1678592](#)

White, Mary Anne, Conrad, Jacy, Ellis, Sarah N. and Chen, Ran

Investigations of ice-structuring agents in ice-templated ceramics

[DP-1678609](#)

Gholizadeh, Ahmad

La_{1-x}ca_xco_{1-y}mg_yo₃ nano-perovskites as co oxidation catalysts: Structural and catalytic properties

[DP-1678835](#)

Patel, Satyanarayan, Chauhan, Aditya, Vaish, Rahul and Lynch, Christopher S.

Large barocaloric effect and pressure-mediated electrocaloric effect in pb_{0.99}nb_{0.02}(zr_{0.95}ti_{0.05})(o_{0.08})o₃ ceramics

[DP-1678849](#)

Fan, Zhongming, Liu, Xiaoming and Tan, Xiaoli

Large electrocaloric responses in bi-1/2(na,k)(1/2) tio₃-based ceramics with giant electro-strains

[DP-1678851](#)

Qu, Bingyue, Du, Hongliang, Yang, Zetian and Liu, Qinghui

Large recoverable energy storage density and low sintering temperature in potassium-sodium niobate-based ceramics for multilayer pulsed power capacitors

[DP-1678858](#)

Wang, Fei, Zhang, Chenfei, Lu, Yongfeng, Nastasi, Michael and Cui, Bai

Laser shock processing of polycrystalline alumina ceramics

[DP-1678873](#)

Rodenbough, Philip P., Zheng, Chengjunyi, Liu, Yuxuan, Hui,

Chenyuan, Xia, Yuxuan, Ran, Ziyang, Hu, Yanjun and Chan, Siu-Wai

Lattice expansion in metal oxide nanoparticles: MgO, Co₃O₄, & Fe₃O₄

[DP-1678890](#)

Ding, Jianyan, Wu, Quansheng, Li, Yanyan, Long, Qiang, Wang, Yichao and Wang, Yuhua

Li₃AlN₂A self-activated yellow light emitting wide-bandgap semiconductor used for LEDs

[DP-1678928](#)

Vaataja, Maria, Kahari, Hanna, Juuti, Jari and Jantunen, Heli

Li₂MgO₄-based composite ceramics fabricated from temperature- and atmosphere-sensitive MnZn ferrite at room temperature

[DP-1678930](#)

Wu, Quansheng, Ding, Jianyan, Li, Yanyan, Wang, Xicheng and Wang, Yuhua

LiCaAl₂:Eu³⁺/Tb³⁺: Red and green phosphors for LEDs and LEDs with charge transfer transition in n-UV region

[DP-1678933](#)

Bian, Hongyu, Liu, Yuxue, Yan, Duanting, Zhu, Hancheng, Liu, Chunguang, Xu, Changshan, Wang, Xiaojun and Zhang, Hong

Light-induced electrons suppressed by Eu³⁺ ions doped in Ca_{1.94-x}Sr_xAl₁₄O₃₃ caged phosphors for LED and LEDs

[DP-1678939](#)

Rost, Christina M., Rak, Zsolt, Brenner, Donald W. and Maria, Jon-Paul

Local structure of the Mg_xNi_xCo_xCu_xZn_xO_x (x=0.2) entropy-stabilized oxide: An EXAFS study

[DP-1679002](#)

Wang, Shaobo, Chen, Wenbo, Zhou, Dacheng, Qiu, Jianbei, Xu, Xuhui and Yu, Xue

Long persistent properties of CaGa₂O₄:Bi³⁺ at different ambient temperature

[DP-1679014](#)

Parikh, Harshil, Hilli, Naima, De Guire, Mark R., Heuer, Arthur H., Liu, Zhien and Goettler, Richard

Long-term microstructural changes in solid oxide fuel cell anodes: 3D reconstruction

[DP-1679018](#)

Zheng, Li-Li, Li, Xi-Chao, Hua, Qing-Song, Dai, Zuo-Qiang, Zhang, Tie-Zhu, Qian, Yu-Hai, Xu, Jing-Jun and Li, Mei-Shuan

Long-term oxidation and electrical behavior of Nb-doped Ti₃SiC₂ as solid oxide fuel cell interconnects

[DP-1679019](#)

Dong, Liyuan, Li, Yuhong, Devanathan, Ram, Setyawan, Wahyu and Gao, Fei

Low energy ion-solid interactions and chemistry effects in a series of pyrochlores

[DP-1679026](#)

Zhigachev, Andrey O., Umrikhin, Alexey V., Korenkov, Viktor V. and Golovin, Yuri I.

Low-temperature aging of baddeleyite-based ca-tzp ceramics

[DP-1679058](#)

Liu, Yin, Li, Yiyu and Wu, Yiquan

Low-temperature crystal growth of yb:Sr5f(po4)(3) without evident thermal runaway

[DP-1679066](#)

Bao, Ke, Wen, Yan, Khangkhamano, Matthana and Zhang, Shaowei

Low-temperature preparation of titanium diboride fine powder via magnesiothermic reduction in molten salt

[DP-1679088](#)

Chen, Tao, Liang, Ruihong, Jiang, Kai, Hu, Zhigao, Zhou, Zhiyong and Dong, Xianlin

Low-temperature sintering and electrical properties of sr2nb2o7 piezoceramics by cuo addition

[DP-1679099](#)

Wei, Dandan and Wang, Hong

Low-temperature sintering and enhanced piezoelectric properties of random and textured pin-pmn-pt ceramics with li2co3

[DP-1679100](#)

Stipniece, Liga, Narkevica, Inga and Salma-Ancane, Kristine

Low-temperature synthesis of nanocrystalline hydroxyapatite: Effect of mg and sr content

[DP-1679132](#)

Guo, Qingfeng, Zhao, Chenglong, Liao, Libing, Lis, Stefan, Liu, Haikun, Mei, Lefu and Jiang, Zhouqing

Luminescence investigations of novel orange-red fluorapatite klasr3(po4)(3)f: Sm3+ phosphors with high thermal stability

[DP-1679149](#)

Sun, Qisheng, Li, Xuemin, Du, Yide, Zhao, Bo, Li, Hua, Huang, Yan, Ci, Zhipeng, Zhang, Jiachi, Ma, Ji and Wang, Yuhua

Luminescence mechanism and thermal stabilities of a white silicate phosphor for multifunctional applications

[DP-1679150](#)

Zhao, Bo, Chen, Ying, Xue, Fen, Guo, Xin, Wang, Genshui, Yang, Lihui, Wang, Wensheng and Dong, Xianlin

Magnetic and electric properties of wrinkled manganite films derived

by sol-gel method

[DP-1679169](#)

Chen, Gang, Xu, Yantao, Guo, Haitao, Cui, Xiaoxia, Wang, Pengfei, Lu, Min, Xiao, Xusheng, Guo, Quan and Peng, Bo

Magneto-optical effects of ge-ga-sb(in)-s chalcogenide glasses with diamagnetic responses

[DP-1679199](#)

Collins, Adam R., Fitzpatrick, Maureen A., Trollat, Jean-Loup, Olenick, Kathy, Olenick, John and O'Connor, Gerard M.

Mechanically inspired laser scribing of thin brittle materials

[DP-1679365](#)

Singh, Gangapatnam Bhagath and Subramaniam, Kolluru

Method for direct determination of glassy phase dissolution in hydrating fly ash-cement system using x-ray diffraction

[DP-1679545](#)

Ma, Dejun, Wang, Jialiang and Sun, Liang

Methodology for measuring fracture toughness of ceramic materials by instrumented indentation test with vickers indenter

[DP-1679565](#)

Wing, Bradley L. and Halloran, John W.

Microstress in the matrix of a melt-infiltrated sic/sic ceramic matrix composite

[DP-1679632](#)

Boonlakhorn, Jakkree, Thongbai, Prasit, Putasaeng, Bundit, Kidkhunthod, Pinit, Maensiri, Santi and Chindaprasirt, Prinya

Microstructural evolution, non-ohmic properties, and giant dielectric response in cacu3ti4-xgexo12 ceramics

[DP-1679682](#)

Wu, Yunyi, Wang, Xiaohui, Zhong, Caifu and Li, Longtu

Microstructure and electric properties of (na0.85k0.15)(0.5)bi0.5tio3 composited films with alternative tio2 layers

[DP-1679708](#)

Zhang, Xiaorong, Zhang, Zhixiao, Wang, Weimin, Shan, Junhong, Che, Hongwei, Mu, Jingbo and Wang, Guangsuo

Microstructure and mechanical properties of b4c-tib2-sic composites toughened by composite structural toughening phases

[DP-1679729](#)

Zhong, Xin, Niu, Yaran, Li, Hong, Zeng, Yi, Zheng, Xuebin, Ding, Chuanxian and Sun, Jinliang

Microstructure evolution and thermomechanical properties of plasma-sprayed yb2sio5 coating during thermal aging

[DP-1679771](#)

Silvestroni, Laura, Sciti, Diletta, Monteverde, Frederic, Stricker, Kerstin and Kleebe, Hans-Joachim

Microstructure evolution of a w-doped zrb₂ ceramic upon high-temperature oxidation

[DP-1679772](#)

Peddigari, Mahesh, Patel, Vivek, Bharti, Gyan Prakash, Khare, Alike and Pamu, Dobbidi

Microwave dielectric and nonlinear optical studies on radio-frequency sputtered dy₂o₃-doped knn thin films

[DP-1679842](#)

Takahashi, Susumu, Kan, Akinori and Ogawa, Hirota

Microwave dielectric properties and crystal structures of mg_{0.7}al_{2.2}o₄ and mg_{0.4}al_{2.4}o₄ ceramics with defect structures

[DP-1679845](#)

Chen, Hetuo, Zhang, Zhewei, Xiong, Zhe, Tang, Bin, Yuan, Ying and Zhang, Shuren

Microwave dielectric properties of (1-x)ba_{3.75}nd_{9.5}cr_{0.25}nb_{0.25}ti_{17.5}o₅₄-xndalo(3) ceramics

[DP-1679851](#)

Induja, Indira J. and Sebastian, Mailadil T.

Microwave dielectric properties of sno-snf₂-p₂o₅ glass and its composite with alumina for ultcc applications

[DP-1679859](#)

Shan, Zhitao, Li, Changjiu and Tao, Haizheng

Mixed alkaline-earth effect on the mechanical and rheological properties of ca-mg silicate glasses

[DP-1679904](#)

Shih, Yueh-Ting and Jean, Jau-Ho

Mixed modifier effect in lithium-calcium borosilicate glasses

[DP-1679906](#)

Sari, Fitri Nur Indah, So, Pei-Ru and Ting, Jyh-Ming

Mno₂ with controlled phase for use in supercapacitors

[DP-1679923](#)

Aparicio-Angles, Xavier and de Leeuw, Nora H.

Modeling of complex interfaces: Gadolinium-doped ceria in contact with yttria-stabilized zirconia

[DP-1679957](#)

Joseph, Shiju, Bishnoi, Shashank, Van Balen, Koen and Cizer, Ozlem

Modeling the effect of fineness and filler in early-age hydration of tricalcium silicate

[DP-1679967](#)

Hu, Tianjiao, Li, Xiaodong, Pu, Wenjing, Chu, Zengyong, Li, Gongyi and Wang, Qinghua

Models proposed to explain the electrical conductivity of polymer-derived silicon carbide fibers

[DP-1679974](#)

Giesecke, Ruth, Hertwig, Ramis, Bayer, Thorsten J. M., Randall, Clive A. and Klein, Andreas

Modification of the schottky barrier height at the ruo2 cathode during resistance degradation of fe-doped srtio3

[DP-1679982](#)

Marchon, Delphine, Juilland, Patrick, Gallucci, Emmanuel, Frunz, Lukas and Flatt, Robert J.

Molecular and submolecular scale effects of comb-copolymers on tri-calcium silicate reactivity: Toward molecular design

[DP-1680000](#)

Trolier-McKinstry, Susan and Randall, Clive A.

Movers, shakers, and storsers of charge: The legacy of ferroelectricians I. Eric cross and robert e. Newnham

[DP-1680078](#)

Chong, XiaoYu, Jiang, YeHua, Zhou, Rong and Feng, Jing

Multialloying effect on thermophysical properties of cr7c3-type carbides

[DP-1680100](#)

Ayrikyan, Azatuhi, Weyland, Florian, Steiner, Sebastian, Duerrschnabel, Michael, Molina-Luna, Leopoldo, Koruza, Jurij and Webber, Kyle G.

Multilayer lead-free piezoceramic composites: Influence of co-firing on microstructure and electromechanical behavior

[DP-1680108](#)

Qi, He, Zhang, Haibo and Zuo, Ruzhong

Nanbo3-batio3-nasbo3 lead and potassium-free ceramics with thermally stable small-signal piezoelectric properties

[DP-1680122](#)

Taglieri, Giuliana, Daniele, Valeria, Macera, Ludovico and Mondelli, Claudia

Nano ca(oh)(2) synthesis using a cost-effective and innovative method: Reactivity study

[DP-1680123](#)

Lan, Yuan-Pei, Sohn, Hong Yong, Mohassab, Yousef, Liu, Qingcai and Xu, Baoqiang

Nanoceria synthesis in the kcl-licl salt system: Crystal formation and properties

[DP-1680124](#)

Zheng, Mupeng, Hou, Yudong, Ai, Zhirong and Zhu, Mankang

Nanocrystalline buildup, relaxor behavior, and polarization characteristic in pzt-pnzn quaternary ferroelectrics

[DP-1680130](#)

Shpotyuk, Yaroslav

Nanoscale mechanism of rare-earth doping in ga-codoped glassy as-sb selenides

[DP-1680149](#)

Cao, Jing, Poumellec, Bertrand, Mazerolles, Leo, Brisset, Francois, Helbert, Anne-Laure, Surble, Suzy, He, Xuan and Lancry, Matthieu

Nanoscale phase separation in lithium niobium silicate glass by femtosecond laser irradiation

[DP-1680151](#)

Zhou, Yao, Zhu, Chaofeng and Yang, Xuena

Near white light emission of ce³⁺-, ho³⁺-, and sm³⁺-doped oxyfluoride silicate glasses

[DP-1680181](#)

Quanlan, Xiao

Near/mid-infrared emission and energy transfer of er/tm-yb co-doped beta-nayf₄ microcrystals

[DP-1680182](#)

Tao, Fengqiong, Wang, Xiaoming, Gong, Mielu, Lu, Fengqi, Allix, Mathieu, Kuang, Xiaojun and Fang, Liang

New eight-layer twinned hexagonal perovskite microwave dielectric ceramic ba₈ninb₆o₂₄

[DP-1680219](#)

Ho, Kuan-Hung, Liu, Huajun, Ke, Qing Qing, Mao, Lu, Hu, Yating, Li, Xu and Wang, John

Nickel and lanthanum hydroxide nanocomposites with much improved electrochemical performance for supercapacitors

[DP-1680254](#)

Li, Zhenwei, Luo, Xuan, Wu, Wenjuan and Wu, Jiagang

Niobium and divalent-modified titanium dioxide ceramics: Colossal permittivity and composition design

[DP-1680263](#)

Rechberger, Felix, Tervoort, Elena and Niederberger, Markus

Nonaqueous sol-gel synthesis of intao₄ nanoparticles and their assembly into macroscopic aerogels

[DP-1680282](#)

Xu, Chenhong, Cao, Fei, Chen, Xuefeng, Yan, Shiguang, Nie, Hengchang, Dong, Xianlin and Wang, Genshui

Nondestructively measuring the remanent polarization of pzt 95/5 ceramics at room temperature

[DP-1680288](#)

Chen, Zhi, Lai, Sinan, Zhang, Hang, Jia, Hong, Wang, Ting, Chen, Qiuqun, Dong, Guoping, Jiang, Chun and Qiu, Jianrong

Nonlinear negative transmittance at a cw 980-nm laser diodes pumping in yb³⁺:Caf₂ nanocrystals-embedded glass ceramics

[DP-1680302](#)

Jumpatam, Jutapol, Somphan, Weeraya, Boonlakhorn, Jakkree, Putasaeng, Bundit, Kidkhunthod, Pinit, Thongbai, Prasit and Maensiri, Santi

Non-ohmic properties and electrical responses of grains and grain boundaries of na_{1/2}y_{1/2}cu₃ti₄o₁₂ ceramics

[DP-1680310](#)

Zhang, Jun, Zhang, Lili, Yu, Weipeng, Jiang, Fan, Zhang, Erpan, Wang, Hongbo, Kong, Zhe, Xi, Junhua and Ji, Zhenguo

Novel dual heterojunction between mos₂ and anatase tio₂ with coexposed {101} and {001} facets

[DP-1680429](#)

Walther, Till, Koefenstein, Roberto and Ebbinghaus, Stefan G.

Novel magnetoelectric composites of cobalt iron alloy and barium titanate

[DP-1680437](#)

Shao, Yingfeng, Song, Fan, Liu, Boyang, Li, Wei, Li, Long and Jiang, Chiping

Observation of ceramic cracking during quenching

[DP-1680507](#)

Zhang, Jian and Zuo, Ruzhong

Octahedral distortion, phase structural stability, and microwave dielectric properties in equivalently substituted latinbo₆ ceramics

[DP-1680544](#)

Zhang, Yao, Davy, Catherine A., Tricot, Gregory, Albert-Mercier, Cyrille, Henry, Natacha, Bertier, Pieter, Cazaux, Frederic, Damidot, Denis and Bourbon, Xavier

On shrinkage and structure changes of pure and blended portland concretes

[DP-1680550](#)

Chaouche, Mohend, Gao, Xiao Xiao, Cyr, Martin, Cotte, Marine and Frouin, Laurent

<On The> origin of the blue/green color of blast-furnace slag-based materials: Sulfur k-edge xanes investigation

[DP-1680563](#)

Zok, Frank W.

On weakest link theory and weibull statistics

[DP-1680573](#)

Li, Jiang, Sahi, Sunil, Groza, Michael, Pan, Yubai, Burger, Arnold, Kenarangui, Rasool and Chen, Wei

Optical and scintillation properties of ce³⁺-doped luag and yag transparent ceramics: A comparative study

[DP-1680607](#)

Lin, Jie, Miao, Guoshuan, Xia, Changrong, Chen, Chusheng, Wang, Shaorong and Zhan, Zhongliang

Optimization of anode structure for intermediate temperature solid oxide fuel cell via phase-inversion cotape casting

[DP-1680644](#)

Ornek, Ahmet

Optimization of dielectric heating parameters in the production of high-voltage linipo₄-core and carbon-shell ceramics

[DP-1680646](#)

Xi, Luqing, Pan, Yuexiao, Chen, Xian, Huang, Shaoming and Wu, Mingmei

Optimized photoluminescence of red phosphor na₂snf₆:Mn⁴⁺ as red phosphor in the application in "warm" white leds

[DP-1680652](#)

Ko, Jaehwan, Kim, In Yea, Cheong, Haewon and Yoon, Young Soo

Organic binder-free cathode using fes₂-mwcnts composite for thermal batteries

[DP-1680667](#)

Upadhyay, Ashutosh, Pandey, Rishikesh and Singh, Akhilesh Kumar

Origin of ferroelectric p-e loop in cubic compositions and structure of poled (1-x)bi(mg_{1/2}zr_{1/2})o₃-xpbtio₃ piezoceramics

[DP-1680685](#)

Lee, Ku-Tak, Kim, Dae-Hyeon, Park, Jong-Seong, Lee, Tae-Gon, Cho, Sung-Hoon, Park, Su-Jin, Kang, Jong-Yoon and Nahm, Sahn

Orthorhombic-pseudocubic phase transition and piezoelectric properties of (na_{0.5}k_{0.5})(nb_{1-x}sb_x)-srzro₃ ceramics

[DP-1680702](#)

Hay, Randall S. and Chater, Richard J.

Oxidation kinetics strength of hi-nicalon(tm)-s sic fiber after oxidation in dry and wet air

[DP-1680743](#)

Kitaoka, Satoshi, Matsudaira, Tsuneaki, Yokoe, Daisuke, Kato, Takeharu and Takata, Masasuke

Oxygen permeation mechanism in polycrystalline mullite at high temperatures

[DP-1680846](#)

Kumar, Ashutosh, Jaiswal, Abhishek, Sanbui, Mohit and Omar, Shobit

Oxygen-ion conduction in scandia-stabilized zirconia-ceria solid electrolyte $(x\text{Sc}_2\text{O}_3) \cdot (1-x)\text{CeO}_2 \cdot (99-x)\text{ZrO}_2$, 5×10^{-11}

[DP-1680862](#)

Guo, Wei-Ming, Wu, Li-Xiang, Sun, Shi-Kuan and Lin, Hua-Tay

Particle refinement of ZrB_2 by the combination of borothermal reduction and solid solution

[DP-1680896](#)

Li, Shi Min, Hu, Gu Jin, Wang, Chao, Zhao, Wen Chao, Ma, Guo Hong, Chen, Xiao Shuang, Chu, Jun Hao and Dai, Ning

$\text{PbZr}_{0.4}\text{Ti}_{0.6}\text{O}_3$ dielectric reflectors with large photonic band gap and high average optical reflectivity

[DP-1680919](#)

Zhang, Rui, Mao, Huahai and Taskinen, Pekka

Phase equilibria study and thermodynamic description of the BaO-CaO-Al₂O₃ system

[DP-1681033](#)

Zhang, Yingjie, Kong, Linggen, Aughterson, Robert D., Karatchevtseva, Inna and Zheng, Rongkun

Phase evolution from $\text{Ln}_2\text{Ti}_2\text{O}_7$ ($\text{Ln}=\text{Y}$ and Gd) pyrochlores to brannerites in glass with uranium incorporation

[DP-1681052](#)

Park, Jaehan, Jung, Woohyun and Kim, Young Jin

Phase formation and spectral evolution of $(\text{Sr},\text{Ba})_2\text{SiO}_4:\text{Eu}^{2+}$ phosphors

[DP-1681059](#)

Grosso, Robson L., Muccillo, Eliana N. S. and Castro, Ricardo H. R.

Phase stability in scandia-zirconia nanocrystals

[DP-1681120](#)

Liu, Shi-Yu, Meng, Yang, Liu, Shiyang, Li, De-Jun, Li, Yaping, Liu, Yingdi, Shen, Yaogen and Wang, Sanwu

Phase stability, electronic structures, and superconductivity properties of the $\text{BaPb}_{1-x}\text{Bi}_x\text{O}_3$ and $\text{Ba}_{1-x}\text{K}_x\text{BiO}_3$ perovskites

[DP-1681122](#)

Urakami, Ryosuke, Sato, Yukio, Ogushi, Masayoshi, Nishiyama, Takeshi, Goto, Aoi, Yamada, Kazuhiro, Teranishi, Ryo, Kaneko, Kenji and Kitayama, Mikito

Phase transformation and interface segregation behavior in Si_3N_4 ceramics sintered with La_2O_3 - Lu_2O_3 mixed additive

[DP-1681129](#)

Zhang, Yanfei, Zhao, Donghui and Yue, Yuanzheng

Phase transitions and glass transition in a hyperquenched silica-alumina glass

[DP-1681141](#)

Kumari, Renu, Kulriya, Pawan Kumar, Mishra, Surubala, Kotari, Vasundhara, Achary, Srungarpu N., Tyagi, Avesh K. and Avasthi, Devesh K.

Phase-dependent radiation-resistant behavior of BaTiO_3 : An insitu x-ray diffraction study

[DP-1681148](#)

Yi, Seungryeol, Chung, Woon Jin and Heo, Jong

Phosphor-in-fluorescent-glasses for high color rendering white light emitting diodes

[DP-1681265](#)

Ahn, Sang Hyun, Nam, Yoon Hee, Han, Karam, Im, Won Bin, Cho, Kuk Young and Chung, Woon Jin

Phosphor-in-glass thick film formation with low sintering temperature phosphosilicate glass for robust white led

[DP-1681266](#)

Thomsen, Rene Mossing, Garzon, Sergio Ferreiro, Herfort, Duncan, Skibsted, Jorgen and Yue, Yuanzheng

Physical performances of alkali-activated portland cement-glass-limestone blends

[DP-1681307](#)

Lee, Gyoung-Ja, Kim, Byung-Hoon, Yang, Sun- A., Park, Jin-Ju, Bu, Sang-Don and Lee, Min-Ku

Piezoelectric and ferroelectric properties of $(\text{Bi},\text{Na})\text{TiO}_3$ - $(\text{Bi},\text{Li})\text{TiO}_3$ - $(\text{Bi},\text{K})\text{TiO}_3$ ceramics for accelerometer application

[DP-1681324](#)

Kim, Dae-Hyeon, Lee, Tae-Gon, Cho, Sung-Hoon, Lee, Ku-Tak, Kang, Chong-Yun, Lee, Won-Kyoung, Lee, Chung-Kook and Nahm, Sahn

Piezoelectric properties of $(\text{Na}_{1-x}\text{K}_x)\text{NbO}_3$ -based lead-free piezoelectric ceramics and their application in knocking sensor

[DP-1681329](#)

Fraygola, Barbara M., Chandrasekanar, Anand, Bahati, David, Salazar, Ulises, Biancoli, Alberto, Marzari, Nicola, Damjanovic, Dragan and Setter, Nava

Piezoelectric softening by nb substitution in (ba,pb)zro3 ceramics

[DP-1681336](#)

Guo, Lei, Li, Mingzhu, Cheng, Yuxian, Zhang, Chenglong, He, Sixian, Zhang, Yuchen and Ye, Fuxing

Plasma sprayed nanostructured gdpo4 thermal barrier coatings: Preparation microstructure and cmas corrosion resistance

[DP-1681356](#)

Teranishi, Takashi, Kajiyama, Shin, Hayashi, Hidetaka and Kishimoto, Akira

Polarization behavior of sol-gel-derived relaxor ba(zr, ti)o-3 films

[DP-1681400](#)

Li, Chia-Chen, Chang, Shinn-Jen, Wu, Chi-Wei and Chang, Cha-Wen

Poly(methacrylate)-derived diblock dispersant for tio2 in aqueous suspensions

[DP-1681413](#)

Li, Chaoyu, Xie, Tengfei, Ye, Zhang, Yao, Baoquan, Kou, Huamin, Pan, Yubai and Li, Jiang

Polycrystalline ho: Luag laser ceramics: Fabrication, microstructure, and optical characterization

[DP-1681417](#)

Gheorghiu, Felicia, Padurariu, Leontin, Airimioaei, Mirela, Curecheriu, Lavinia, Ciomaga, Cristina, Padurariu, Cipriana, Galassi, Carmen and Mitoseriu, Liliana

Porosity-dependent properties of nb-doped pb(zr,ti)o-3 ceramics

[DP-1681469](#)

Sankar, Kaushik, Sa Ribeiro, Ruy A., Ribeiro, Marilene G. Sa and Kriven, Waltraud M.

Potassium-based geopolymer composites reinforced with chopped bamboo fibers

[DP-1681509](#)

Plonska, Malgorzata, Pisarska, Joanna and Pisarski, Wojciech A.

Pr3+/yb3+:Plzt ferroelectric ceramics for near-infrared radiation at 1340 nm

[DP-1681523](#)

Chen, Tao, Zu, Hao, Gao, Chao, Ke, Chunfeng, Zhou, Dongxiang, Hu, Yunxinag, Zheng, Zhiping and Fu, Qiuyun

Preparation and electrical properties of zno-bi2o3-based multilayer varistors with base metal nickel inner electrodes

[DP-1681622](#)

Wang, Yichao, Ding, Jianyan and Wang, Yuhua

Preparation and photoluminescence properties with the site-selected excitations of Bi^{3+} -activated $\text{Ba}_3\text{Sc}_2\text{O}_9$ phosphors

[DP-1681643](#)

Hu, Xitao, Qiang, Wenjiang and Huang, Bingxin

Preparation and properties of $\text{Li}_{1-x}\text{La}_x\text{TiO}_3$ perovskite oxide electrolytes

[DP-1681651](#)

Lin, Nanxi, Huo, Lina, Liu, Haipeng, Fang, Xiao, Wu, Shuting, Chen, Xin, Hu, Xiaolin and Zhuang, Naifeng

Preparation and properties of pure crystalline perovskite CeFeO_3 thin films with vanadium doping

[DP-1681656](#)

Tyrpekl, Vaclav, Cologna, Marco, Vigier, Jean-Francois, Cambriani, Andrea, De Weerd, Wim and Somers, Joseph

Preparation of bulk-nanostructured UO_2 pellets using high-pressure spark plasma sintering for LWR fuel safety assessment

[DP-1681696](#)

Rotaru, Razvan, Peptu, Cristian, Samoila, Petrisor and Harabagiu, Valeria

Preparation of ferroelectric barium titanate through an energy effective solid state ultrasound assisted method

[DP-1681713](#)

Tang, Miao, Fan, Yanting, Qiu, Zhongxian, Zhang, Jilin, Yu, Liping, Li, Chengzhi, Lian, Shixun and Zhou, Wenli

Preparation, luminescence properties and energy transfer of $\text{Ca}_9\text{Y}(\text{PO}_4)_7$: Eu^{2+} - Tb^{3+} phosphors

[DP-1681831](#)

Barrett, Gerard Thomas

Processes and kinetics of mass gain in archeological brick following drying and reheating

[DP-1681893](#)

Fu, Zhezhen and Koc, Rasit

Processing and characterization of TiB_2 - TiNiFeCrCoAl high-entropy alloy composite

[DP-1681901](#)

Laine, Richard M., Taylor, Nathan J. and Stangeland-Molo, Sandra

Processing $\text{YAG}/\alpha\text{-Al}_2\text{O}_3$ composites via reactive sintering $\text{Y}_2\text{O}_3/\text{Al}_2\text{O}_3$ NP mixtures. A superior alternative to bottom up processing using atomically mixed YAlOx NPs

[DP-1681942](#)

Murri, Annalisa Natali, Medri, Valentina and Landi, Elena
Production and thermomechanical characterization of wool-
geopolymer composites

[DP-1681961](#)

Epting, William K., Mansley, Zachary, Menasche, David B., Kenesei,
Peter, Suter, Robert M., Gerdes, Kirk, Litster, Shawn and Salvador,
Paul A.

Quantifying intermediate-frequency heterogeneities of soft
electrodes using x-ray computed tomography

[DP-1682110](#)

Gholizadeh-Vayghan, Asghar and Rajabipour, Farshad

Quantifying the swelling properties of alkali-silica reaction (asr) gels
as a function of their composition

[DP-1682112](#)

Xia, Wenhao, Xu, Biyi, Duan, Huanan, Tang, Xiaoyi, Guo, Yiping,
Kang, Hongmei, Li, Hua and Liu, Hezhou

Reaction mechanisms of lithium garnet pellets in ambient air: The
effect of humidity and CO₂

[DP-1682276](#)

Wu, Longwen, Wang, Xiaohui, Shen, Zhengbo, Luo, Bingcheng and
Li, Longtu

Re-entrant relaxor behavior in Ba_{0.3}-Bi_{0.3}(Zn_{2/3}Nb_{1/3})O₃ ceramics

[DP-1682427](#)

Suratwala, Tayyab, Steele, William, Feit, Michael, Shen, Nan, Wong,
Lana, Dylla-Spears, Rebecca, Desjardin, Richard, Elhadj, Selim and
Miller, Phil

Relationship between surface roughness and interface slurry
particle spatial distribution during glass polishing

[DP-1682528](#)

Wang, Chunchang, Ni, Wei, Sun, Xiaohong, Wang, Le, Wang, Can
and Jin, Kuijuan

Relaxor-like behaviors in Na_{0.5}Bi_{0.5}Cu₃Ti₄O₁₂ ceramics

[DP-1682550](#)

Li, Qiang, Wei, Jianxin, Tu, Tinglong, Cheng, Jinrong and Chen,
Jianguo

Remarkable piezoelectricity and stable high-temperature dielectric
properties of quenched BiFeO₃-BaTiO₃ ceramics

[DP-1682559](#)

Zhu, Congxu, Wang, Yabing, Lu, Qiang, Zhao, Hongxiao, Zhu,
Xuliang, Fa, Wenjun and Zheng, Zhi

Reproduction of Jun-red glazes with nano-sized copper oxide

[DP-1682574](#)

Walenza-Slabe, Joel and Gibbons, Brady J.

Residual stress and electrical properties of pb(zr-0.52,ti-0.48)o-3 thin films rf sputtered directly on cu foils

[DP-1682585](#)

Krause, Amanda R., Garces, Hector F., Herrmann, Christine E. and Padture, Nitin P.

Resistance of 2zro(2)center dot y2o3 top coat in thermal/environmental barrier coatings to calcia-magnesia-aluminosilicate attack at 1500 degrees c

[DP-1682618](#)

Raj, Kovummal Govind and Joy, Pattayil Alias

Role of localized graphitization on the electrical and magnetic properties of activated carbon

[DP-1682723](#)

Park, Won Ji, Kim, Min Gyu, Kim, Ju Eun, Wang, Jing, Lee, Ho Jeong, Park, Chan Gyung and Heo, Jong

Role of nd3+ ions on the nucleation and growth of pbs quantum dots (qds) in silicate glasses

[DP-1682728](#)

Liu, Xingmin, Yu, Zhaoju, Chen, Lingqi, Xu, Binbin, Li, Shuang, Yin, Xiaowei and Riedel, Ralf

Role of single-source-precursor structure on microstructure and electromagnetic properties of cnts-sicn nanocomposites

[DP-1682739](#)

Dai, Steve, Elisberg, Brenton, Calderone, James and Lyon, Nathan

Sealing glass-ceramics with near-linear thermal strain, part iii: Stress modeling of strain and strain rate matched glass-ceramic to metal seals

[DP-1682809](#)

Truong, Lo Nhat, Dussauze, Marc, Allix, Mathieu, Chenu, Sebastien, Cardinal, Thierry, Fargin, Evelyne and Santos, Luis F.

Second harmonic generation in germanotellurite bulk glass-ceramics

[DP-1682811](#)

Atanacio, Armand, Alim, Mohammad, Bak, Tadeusz, Ionescu, Mihail and Nowotny, Janusz

Segregation in titanium dioxide co-doped with indium and niobium

[DP-1682828](#)

Yang, Ting-Yi, Chang, Shinn-Jen, Li, Chia-Chen and Huang, Pei-Hsuan

Selectivity of hydrophilic and hydrophobic tio2 for organic-based dispersants

[DP-1682844](#)

Mao, Qiannan, Zheng, Binbin, Yu, Yongze, Chen, Jiejie, Zhang, Jianwang, Luo, Hao, Wen, Shaofei and Zhou, Shifeng
Self-limited crystallization-mediated removal of hydroxyl in glass
[DP-1682863](#)

Chen, Xu, Sutrisno, Andre, Zhu, Lingyang and Struble, Leslie J.
Setting and nanostructural evolution of metakaolin geopolymer
[DP-1682889](#)

Denkhaus, Sarah Marie, Voegler, Malte, Novak, Nikola and Roedel, Juergen
Short crack fracture toughness in $(1-x)(\text{Na}_{1/2}\text{Bi}_{1/2})\text{TiO}_3\text{-xBiTiO}_3$ relaxor ferroelectrics
[DP-1682916](#)

Zamir, Shlomit
Si segregation and its role in reaching transparent yag
[DP-1682933](#)

Yu, Yuxi, Huang, Qifan, Rhodes, Samuel, Fang, Jiyu and An, Linan
Sicno-go composites with the negative temperature coefficient of resistance for high-temperature sensor applications
[DP-1682956](#)

Liu, Jinhua, Wang, Haitao, Shen, Bo, Zhai, Jiwei, Li, Peng and Pan, Zhongbin
Significantly enhanced energy-storage density in the strontium barium niobate-based/titanate-based glass-ceramics
[DP-1682967](#)

Boulesteix, Remy, Bonnet, Loick, Maitre, Alexandre, Chretien, Lucie and Salle, Christian
Silica reactivity during reaction-sintering of nd:Yag transparent ceramics
[DP-1682972](#)

Igami, Yohei, Ohi, Shugo and Miyake, Akira
Sillimanite-mullite transformation observed in synchrotron x-ray diffraction experiments
[DP-1683011](#)

Zhang, Jian and Zuo, Ruzhong
Sintering behavior, structural phase transition, and microwave dielectric properties of $\text{La}_{1-x}\text{Zr}_x\text{TiNb}_6\text{-x}/2$ ceramics
[DP-1683091](#)

Cheng, Bo, Zhang, Yu-Ming, Yang, Ning, Zhang, Meng, Chen, Lin, Yang, Guan-Jun, Li, Cheng-Xin and Li, Chang-Jiu
Sintering-induced delamination of thermal barrier coatings by gradient thermal cyclic test
[DP-1683175](#)

Xu, HaiBo, Lee, Tae-Gon, Park, Su-Jin, Kim, Bo-Yun and Nahm, Sahn

Sodium-potassium niobate nanorods with various crystal structures and their application to nanogenerator

[DP-1683234](#)

Zhang, Cheng, Gupta, Ankur, Seal, Sudipta, Boesl, Benjamin and Agarwal, Arvind

Solid solution synthesis of tantalum carbide-hafnium carbide by spark plasma sintering

[DP-1683288](#)

Duffy, Patrick K., Beal, Rachel A., Layton, Carys E., Barnett, Scott A. and Mason, Thomas O.

Solubility limits and LaO_3 compatibility in the $\text{LaO}_{1.5}$ - $\text{GaO}_{1.5}$ - NiO ternary system

[DP-1683336](#)

Cheon, Se Young, Yoon, Jae-Sik, Oh, Kyung Hee, Jang, Kyu Yeon, Seo, Jong Hyeok, Park, Joon Yong, Choi, Sang-Il, Seo, Won Seok, Lee, Gaehang and Nam, Ki Min

Sonochemical synthesis of ZnO - ZnS core-shell nanorods for enhanced photoelectrochemical water oxidation

[DP-1683472](#)

Yao, Lu, Xu, Dekang, Lin, Hao, Li, Anming, Yang, Shenghong and Zhang, Yueli

Spectral management and energy-transfer mechanism of Eu^{3+} -doped $\beta\text{-NaGdF}_4:\text{Yb}^{3+}$, Er^{3+} microcrystals

[DP-1683505](#)

Huang, Anjun, Yang, Zhengwen, Yu, Chengye, Qiu, Jianbei and Song, Zhiguo

Splitting upconversion emission and phonon-assisted population inversion of $\text{Ba}_2\text{Y}(\text{BO}_3)_2\text{Cl}:\text{Yb}^{3+}$, Er^{3+} phosphor

[DP-1683544](#)

Ren, Guang Rong, Zhu, Jun Yao, Li, Lei, Liu, Bing and Chen, Xiang Ming

$\text{Sr}_{1-x}\text{La}_x(\text{Mg}_{0.5}\text{Ti}_{0.5})_{1-x}\text{O}_{4-x}$ ($x=\text{Mg, Zn}$) microwave dielectric ceramics with complex K_2NiF_4 -type layered perovskite structure

[DP-1683562](#)

Liu, Bing, Li, Lei, Liu, Xiao Qiang and Chen, Xiang Ming

$\text{Sr}_{n+1}\text{Ti}_n\text{O}_{3n+1}$ ($n=1, 2$) microwave dielectric ceramics with medium dielectric constant and ultra-low dielectric loss

[DP-1683563](#)

Yakaboylu, Gunes A., Pillai, Rajalekshmi C., Sabolsky, Katarzyna and Sabolsky, Edward M.

Stability and electrical properties of mosi₂- and wsi₂-oxide electroconductive composites

[DP-1683568](#)

Nafsin, Nazia, Li, Hui, Leib, Elisabeth W., Vossmeier, Tobias, Stroeve, Pieter and Castro, Ricardo H. R.

Stability of rare-earth-doped spherical yttria-stabilized zirconia synthesized by ultrasonic spray pyrolysis

[DP-1683591](#)

Pisano, Gabriele and Carfagni, Gianni Royer

Statistical interference of material strength and surface prestress in heat-treated glass

[DP-1683650](#)

Nguyen, Son T., Nakayama, Tadachika, Suematsu, Hisayuki, Suzuki, Tsuneo, He, Lingfeng, Cho, Hong-Baek and Niihara, Koichi

Strength improvement and purification of yb₂si₂o₇-sic nanocomposites by surface oxidation treatment

[DP-1683733](#)

Callaway, Evan B. and Zok, Frank W.

Strengths of ceramic fiber bundles: Theory and practice

[DP-1683791](#)

Meng, Xiangda, Tian, Hao, Tan, Peng, Huang, Fei, Zhang, Rui and Zhou, Zhongxiang

Strong electromechanical coupling in paraelectric kta_{1-x}nbx₃ crystals

[DP-1683860](#)

Jha, Kaushal and Jayasimhadri, Mula

Structural and emission properties of eu³⁺-doped alkaline earth zinc-phosphate glasses for white led applications

[DP-1683873](#)

Lee, Tae-Gon, Lee, Ho-Jun, Park, Su-jin, Lee, Tae-Ho, Kim, Dae-hyeon, Hong, Chang-Hyo, Xu, HaiBo, Kang, Chong-Yun and Nahm, Sahn

Structural and piezoelectric properties of < 001 > textured pzt-pznn piezoelectric ceramics

[DP-1683885](#)

Magallanes-Perdomo, Marlin, De Aza, Antonio H., Sobrados, Isabel, Sanz, Jesus, Luklinska, Zofia B. and Pena, Pilar

Structural changes during crystallization of apatite and wollastonite in the eutectic glass of ca-3(po₄)₂-casio₃ system

[DP-1683898](#)

Shukla, Vandana, Kumar, Ashutosh, Labbaveetil Basheer, Ishamol, Balani, Kantesh, Subramaniam, Anandh and Omar, Shobit
Structural characteristics and electrical conductivity of spark plasma sintered ytterbia co-doped scandia stabilized zirconia
[DP-1683899](#)

Kumar, Ponnusamy Nandha, Mishra, Sandeep K. and Kannan, Sanjeevi
Structural elucidation and iron oxidation states in situ formed beta-ca-3(po4)(2)/alpha-fe2o3 composites
[DP-1683910](#)

Kosir, Mateja, Ceh, Miran, Ow-Yang, Clewa W., Guilmeau, Emmanuel and Bernik, Slavko
Structural features and thermoelectric properties of al-doped (zno)(5)in2o3 homologous phases
[DP-1683919](#)

Reis, Signo T., Pontuschka, Walter M., Mogus-Milankovic, Andrea and Partiti, Carmen S. M.
Structural features of iron-phosphate glass
[DP-1683920](#)

Meenambal, Rugmani, Poojar, Pavan, Geethanath, Sairam and Sanjeevi, Kannan
Structural insights in dy³⁺-doped -tricalcium phosphate and its multimodal imaging characteristics
[DP-1683923](#)

Biswas, Kaushik, Karmakar, Prantik, Balaji, Sathravada, Gupta, Gaurav, Ghosh, Debarati and Annapurna, Kalyandurg
Structural modification associated with al₂o₃ addition in oxyfluoride glasses: Thermal and mechanical properties
[DP-1683936](#)

Wang, Ding, Yuan, Guoliang, Luo, Haosu, Li, Jiefang, Viehland, Dwight and Wang, Yaojin
Structural origin of room temperature poling enhanced piezoelectricity in modified pb(mg_{1/3}nb_{2/3})o₃-30% pbtio₃ crystals
[DP-1683938](#)

Zhu, Peipei, Xu, Qingfang, Chen, Ruyi, Zhang, Song, Yang, Meijun, Tu, Rong, Zhang, Lianmeng, Goto, Takashi, Yan, Jiasheng and Li, Shusen
Structural study of beta-sic(001) films on si(001) by laser chemical vapor deposition
[DP-1683952](#)

Ben Belgacem, Raoudha, Chaari, Mariem, Brana, Alejandro F.,
Javier Garcia, Basilio and Matoussi, Adel

Structural, electric modulus and complex impedance analysis of
zno/tio₂ composite ceramics

[DP-1683959](#)

Sousa, Robson, Jouin, Jenny, Masson, Olivier, Remondiere, Fabien,
Lemarchand, Alex, Colas, Maggy, Thomas, Philippe, Lameira,
Jeronimo, Bastos, Gilmara N. T., Lima, Anderson B., Nascimento,
Jose L. M.,

Structure and analgesic properties of layered double hydroxides
intercalated with low amounts of ibuprofen

[DP-1683977](#)

Borik, Mihail A., Bredikhin, Sergey I., Bublik, Vladimir T.,
Kulebyakin, Aleksey V., Kuritsyna, Irina E., Lomonova, Elena E.,
Milovich, Philipp O., Myzina, Valentina A., Osiko, Vyacheslav V.,
Ryabochk

Structure and conductivity of yttria and scandia-doped zirconia
crystals grown by skull melting

[DP-1683982](#)

Chen, Tao, Liang, Ruihong, Li, Yuchen, Zhou, Zhiyong and Dong,
Xianlin

Structure and electrical properties of perovskite layer (1-x)sr₂nb₂o₇-
x(na_{0.5}bi_{0.5})tio₃ high-temperature piezoceramics

[DP-1683988](#)

Niu, Min, Wang, Hongjie, Chen, Jiewei, Su, Lei, Wu, Di and
Navrotsky, Alexandra

Structure and energetics of sioc and sioc-modified carbon-bonded
carbon fiber composites

[DP-1683989](#)

Xu, Cheng, Wang, Chaoyue, Yu, Jianding, Zhang, Ruili, Ren, Jinjun,
Liu, Xiaofeng and Qiu, Jianrong

Structure and optical properties of er-doped cao-al₂o₃ (ga₂o₃)
glasses fabricated by aerodynamic levitation

[DP-1684004](#)

Nigay, Pierre-Marie, Nzihou, Ange, White, Claire E. and Soboyejo,
Winston O.

Structure and properties of clay ceramics for thermal energy storage

[DP-1684011](#)

Adhikari, Puja, Dharmawardhana, Chamila C. and Ching, Wai-Yim

Structure and properties of hydrogrossular mineral series

[DP-1684013](#)

Gueguen, Yann, Houizot, Patrick, Celarie, Fabrice, Chen, Mingwei, Hirata, Akihiko, Tan, Yongwen, Allix, Mathieu, Chenu, Sebastien, Roux-Langlois, Clement and Rouxel, Tanguy

Structure and viscosity of phase-separated baio-sio₂ glasses

[DP-1684023](#)

Benedetti, Francesco, Luches, Paola, D'Addato, Sergio, Valeri, Sergio, Nicolini, Valentina, Pedone, Alfonso, Menziani, Maria Cristina and Malavasi, Gianluca

Structure of active cerium sites within bioactive glasses

[DP-1684032](#)

Lei, Shenhui, Fan, Huiqing, Chen, Weina, Liu, Zhiyong and Li, Mengmeng

Structure, microwave dielectric properties, and novel low-temperature sintering of xsrtio(3)-(1-x)laalo₃ ceramics with ltcc application

[DP-1684068](#)

Kumar, Harishchandra Hansraj, Lonkar, Chandrashekhar Madhav and Balasubramanian, Kanda

Structure-property correlation and harvesting power from vibrations of aerospace vehicles by nanocrystalline la-pb(ni^{1/3}sb^{2/3})-pbzrtio₃ ferroelectric ceramics synthesized by mechanical activation

[DP-1684072](#)

Mahadevan, Sarguna Ramaiyan, Varadarajan, Sridharan, Awasthi, Anand Mohan and Natarajan, Subramanian

Studies on dielectric relaxation in ceramic multiferroic gd_{1-x}yxmno₃

[DP-1684113](#)

Xiao, Mi, Gu, Qingqing, Zhou, Ziqi and Zhang, Ping

Study of the microwave dielectric properties of (la_{1-x}smx)nbo₄ (x=0-0.10) ceramics via bond valence and packing fraction

[DP-1684162](#)

Yin, Haiwei, Li, Lei, Yang, Guang, Wang, Yang, Zheng, Jianhua, Zeng, Huidan and Chen, Guorong

Study on crystallization behaviors of as-se-bi chalcogenide glasses

[DP-1684170](#)

Yue, Yunge, Hou, Yudong, Zheng, Mupeng, Yan, Xiaodong and Zhu, Mankang

Submicron crystalline buildup and size-dependent energy harvesting characteristic in pzn-pzt ternary ferroelectrics

[DP-1684193](#)

Lu, Chengjie, Wang, Guochao, Yang, Guang, Fan, Guohua, Zhang, Jie and Liu, Xiaowen

Substitution behavior of ag atoms in the ti₂alc ceramic

[DP-1684229](#)

Chen, Junhong, Chen, Haiyang, Mi, Wenjun, Cao, Zheng, Li, Bin and Liang, Chaojing

Substitution of ba for ca in the structure of caal₁₂o₁₉

[DP-1684231](#)

Qiao, Ang, Tao, Haizheng and Yue, Yuanzheng

Sub-t-g enthalpy relaxation in a milling-derived chalcogenide glass

[DP-1684242](#)

Shyu, Jiin-Jyh and Yang, Chia-Wei

Suppression of phosphor-glass reactions in yag:Ce phosphor-embedded glasses

[DP-1684288](#)

Gouvea, Douglas, do Rosario, Deise C. C. and Caliman, Lorena B.

Surface and grain-boundary excess of zno-doped sno₂ nanopowders by the selective lixiviation method

[DP-1684295](#)

Nachathong, Theeranuch, Kidkhunthod, Pinit, Thongbai, Prasit and Maensiri, Santi

Surface barrier layer effect in (in plus nb) co-doped tio₂ ceramics: An alternative route to design low dielectric loss

[DP-1684300](#)

Sahini, Mtabazi G., Einarsrud, Mari-Ann and Grande, Tor

Surface diffusion of oxygen transport membrane materials studied by grain-boundary grooving

[DP-1684313](#)

Ren, Mengguo, Deng, Lu and Du, Jincheng

Surface structures of sodium borosilicate glasses from molecular dynamics simulations

[DP-1684347](#)

Chong, Saehwa, Peterson, Jacob, Nam, Junghune, Riley, Brian and McCloy, John

Synthesis and characterization of iodosalite

[DP-1684410](#)

Jaiswal, Shivendra K., Hong, Jongsup, Yoon, Kyung J., Son, Ji-Won and Lee, Jong-Ho

Synthesis and conductivity behaviour of proton conducting (1-x)ba_{0.6}sr_{0.4}ce_{0.75}zr_{0.10}y_{0.15}o_{3-Δ}-xgdc (x=0, 0.2, 0.5) composite electrolytes

[DP-1684421](#)

Sun, Si-Yuan, Wang, Qi, Ge, Yi-Yao, Tian, Zhao-Bo, Zhang, Jie, Chen, Ke-Xin and Xie, Zhi-Peng

Synthesis and growth mechanism of approximate spherical beta-si₃n₄ particles via carbothermal reduction-nitridation method

[DP-1684432](#)

Genji, Kumihiko and Uchino, Takashi

Synthesis and photoluminescence characteristics of blue-green luminescent aluminum oxynitride

[DP-1684447](#)

Gaida, Nico A., Nishiyama, Norimasa, Masuno, Atsunobu, Holzheid, Astrid, Ohfuji, Hiroaki, Schuermann, Ulrich, Szillus, Christin, Kulik, Eleonora, Bednarcik, Jozef, Beermann, Oliver, Giehl, Christopher

Synthesis of al₂o₃/sio₂ nano-nano composite ceramics under high pressure and its inverse hall-petch behavior

[DP-1684474](#)

Du, Zehui, Ye, Pengcheng, Zeng, Xiao Mei, Schuh, Christopher A., Tamura, Nobumichi, Zhou, Xinran and Gan, Chee Lip

Synthesis of monodisperse ceo₂-zro₂ particles exhibiting cyclic superelasticity over hundreds of cycles

[DP-1684527](#)

Kool, Arpan, Thakur, Pradip, Bagchi, Biswajoy, Hoque, Nur Amin, Banerjee, Somtirtha and Das, Sukhen

Synthesis of nanocrystalline photoluminescent mullite using sacrificial cotton wool and filter paper templates

[DP-1684534](#)

Yang, Yan-fang, Chen, Jing-jing, Li, Guang-hao, Mao, Zhi-yong, Xu, Jiao, Wang, Da-Jian and Fahlman, Bradley D.

Synthesis of nitride phosphor using entire oxides raw materials and their photoluminescence properties

[DP-1684546](#)

Lee, Woong-Hee, Im, Mir, Kweon, Sang-Hyo, Woo, Jong-Un, Nahm, Sahn, Choi, Ji-Won and Hwang, Seong-Ju

Synthesis of sr₂nb₃o₁₀ nanosheets and their application for growth of thin film using an electrophoretic method

[DP-1684570](#)

Guo, Wei-Ming, Zeng, Ling-Yong, Su, Guo-Kang, Li, Hao, Lin, Hua-Tay and Wu, Shang-Hua

Synthesis of tab₂ powders by borothermal reduction

[DP-1684572](#)

Ren, Xuanru, Feng, Peizhong, Guo, LiTong, Tao, XueYu, Li, Ziyu, Shi, Huilun, Zhang, Xiangxiang and Wang, He

Synthesis of ultra-fine tab₂ nano powders by liquid phase method

[DP-1684578](#)

Sun, Si-Yuan, Ge, Yi-Yao, Tian, Zhao-Bo, Zhang, Jie, Chen, Ke-Xin and Xie, Zhi-peng

Synthesis of well-dispersed beta-si₃n₄ with equiaxed structures using carbothermal reduction-nitridation method

[DP-1684583](#)

Ikesue, Akio and Aung, Yan Lin

Synthesis of yb:Yag ceramics without sintering additives and their performance

[DP-1684585](#)

Chen, Mei-Yu, Vahera, Timo, Hsi, Chi-Shiung, Sobocinski, Maciej, Teirikangas, Merja, Perantie, Jani, Juuti, Jari and Jantunen, Heli

Tape casting system for ultccs to fabricate multilayer and multimaterial 3d electronic packages with embedded electrodes

[DP-1684665](#)

Wang, Junjun, Zheng, Limei, Lue, Weiming, Yang, Liya, Yang, Bin, Zhang, Rui, Lv, Tianquan and Cao, Wenwu

Temperature- and e-field-dependent domain configuration and electrical properties in (k, na, li)(nb, ta, sb)o-3 single crystal

[DP-1684689](#)

Chung, Ching-Chang, Fancher, Chris M., Isaac, Catherine, Nikkel, Jason, Hennig, Eberhard and Jones, Jacob L.

Temperature dependence of field-responsive mechanisms in lead zirconate titanate

[DP-1684701](#)

Liu, Cong, Guo, Wei-Ming, Sun, Shi-Kuan, Zou, Ji, Wu, Shang-Hua and Lin, Hua-Tay

Texture, microstructures, and mechanical properties of aln-based ceramics with si₃n₄-y₂o₃ additives

[DP-1684820](#)

Ghidiu, Michael and Barsoum, Michel W.

The {110} reflection in x-ray diffraction of mxene films: Misinterpretation and measurement via non-standard orientation

[DP-1684824](#)

Golovchak, Roman, Davis, Mark J., Vullo, Paula, Astashkin, Andrei, Nichols, Laura, Ingram, Adam and Jain, Himanshu

The charge state of titanium ions in pd-doped ti:Cmas glass and glass-ceramics

[DP-1684873](#)

Tang, Yanru, Zhou, Shengming, Yi, Xuezhuan, Zhang, Shuai, Hao, Deming and Shao, Xiuchen

The cr-doping effect on white light emitting properties of ce:Yag phosphor ceramics

[DP-1684908](#)

Cheng, Xiaoming, Brow, Richard K. and Chen, Genda

The dissolution behavior in alkaline solutions of a borosilicate glass with and without p2o5

[DP-1684953](#)

Soraru, Gian Domenico, Kacha, Getnet, Campostrini, Renzo, Ponzoni, Andrea, Donarelli, Maurizio, Kumar, Arun and Mariotto, Gino

The effect of b-doping on the electrical conductivity of polymer-derived si(b)oc ceramics

[DP-1684967](#)

Song, Sehwan, Kim, Jiwoong, Lee, Dooyong, Lee, Jisung, Min, Taewon, Chae, Jong-Ah, Bae, Jong-Seong, Lee, Jaekwang, Lee, Jeong-Soo and Park, Sungkyun

The effect of fe²⁺ state in electrical property variations of sn-doped hematite powders

[DP-1684978](#)

Schoeler, Axel, Winnefeld, Frank, Ben Haha, Mohsen and Lothenbach, Barbara

The effect of glass composition on the reactivity of synthetic glasses

[DP-1684985](#)

Bai, Hairui, Zhang, Minghui, Xu, Zhijun, Chu, Ruiqing, Hao, Jigong, Li, Huaiyong, Gong, Yunyun and Li, Guorong

The effect of sio₂ on electrical properties of low-temperature-sintered zno-bi₂o₃-tio₂-co₂o₃-mno₂-based ceramics

[DP-1685012](#)

Leonard, Russell L., Lubinsky, Anthony R. and Johnson, Jacqueline A.

The effects of sodium fluoride content on the properties of fluorochlorozirconate glass-ceramic storage phosphors

[DP-1685040](#)

Kafili, Golar, Loghman-Estarki, Mohammad Reza, Milani, Mostafa and Movahedi, Behrooz

The effects of teos on the microstructure and phase evolutions of yag phase by formation of alumina/yttria core-shell structures

[DP-1685041](#)

Wu, Chao, Li, Yunkai, Li, Qinggang and Hou, Guiqin

The emergence for multilamellar ti-al-n solid solution in ti/aln composites sintered at various temperatures

[DP-1685051](#)

Ding, Yi, Wang, Luxiang, Xu, Mengjiao, Jia, Dianzeng and Zhou, Rui

The energy transfer and thermal stability of a blue-green color tunable $\text{K}_2\text{Ca}_2\text{O}_7:\text{Ce}^{3+}, \text{ Tb}^{3+}$ phosphor

[DP-1685053](#)

Kumar, Aditya, Oey, Tandre, Falzone, Gabriel, Huang, Jian, Bauchy, Mathieu, Balonis, Magdalena, Neithalath, Narayanan, Bullard, Jeffrey and Sant, Gaurav

The filler effect: The influence of filler content and type on the hydration rate of tricalcium silicate

[DP-1685061](#)

Rouxel, Tanguy and Yoshida, Satoshi

The fracture toughness of inorganic glasses

[DP-1685069](#)

Liu, Zhuangzhuang, Balonis, Magdalena, Huang, Jian, Sha, Aimin and Sant, Gaurav

The influence of composition and temperature on hydrated phase assemblages in magnesium oxychloride cements

[DP-1685104](#)

Nie, Xin, Yan, Shiguang, Guo, Shaobo, Cao, Fei, Yao, Chunhua, Mao, Chaoliang, Dong, Xianlin and Wang, Genshui

The influence of phase transition on electrocaloric effect in lead-free $(\text{Ba}_{0.9}\text{Ca}_{0.1})(\text{Ti}_{1-x}\text{Zr}_x)\text{O}_{3-x}$ ceramics

[DP-1685111](#)

Qiu, Zhiwen, Yuan, Shuai, Gong, Haibo, Zhang, Hailiang, Qiu, Xiaofeng, Luo, Ting and Cao, Bingqiang

The influence of physical properties of zno films on the efficiency of planar zno/perovskite/p3ht solar cell

[DP-1685112](#)

Shpotyuk, Yaroslav, Boussard-Pledel, Catherine, Nazabal, Virginie and Bureau, Bruno

The influence of sb on glass-forming ability of ga-containing As_2Se_3 glasses

[DP-1685114](#)

Kumar, Vijay Bhooshan, Monte, Manuel, Mathon, Olivier, Pascarelli, Sakura, Porat, Ze'ev and Gedanken, Aharon

The interaction between molten gallium and the hydrocarbon medium induced by ultrasonic energy can gallium carbide be formed?

[DP-1685125](#)

Clark, Simon M.

The kinetic analysis of irreversible consecutive solid state reactions: The effect of zinc on the formation of cordierite

[DP-1685139](#)

Tomozawa, Minoru, Davis, Kenneth M., Seaman, Jared H. and Aaldenberg, Emily M.

The origin of anomalous water diffusion in silica glasses at low temperatures

[DP-1685195](#)

Faber, Katherine T., Asefa, Tewodros, Backhaus-Ricoult, Monika, Brow, Richard, Chan, Julia Y., Dillon, Shen, Fahrenholtz, William G., Finnis, Michael W., Garay, Javier E., Garcia, R. Edwin, Gogotsi, Y

The role of ceramic and glass science research in meeting societal challenges: Report from an nsf-sponsored workshop

[DP-1685271](#)

Verger, Louisiane, Dargaud, Olivier, Rouse, Gwenaelle, Cotte, Marine and Cormier, Laurent

The stability of gahnite doped with chromium pigments in glazes from the french manufacture of sevres

[DP-1685306](#)

Kelly, Madeleine N., Bojarski, Stephanie A. and Rohrer, Gregory S.

The temperature dependence of the relative grain-boundary energy of yttria-doped alumina

[DP-1685351](#)

Cheng, Tianbao, Fang, Daining and Yang, Yazheng

The temperature-dependent surface energy of ceramic single crystals

[DP-1685353](#)

Song, Zhe, Liu, Hanxing, Lanagan, Michael T., Zhang, Shujun, Hao, Hua, Cao, Minghe, Yao, Zhonghua, Fu, Zhenxiao and Huang, Kun

Thermal annealing effects on the energy storage properties of bst ceramics

[DP-1685461](#)

Murshed, Mohammad Mangir, Sehovic, Malik, Fischer, Michael, Senyshyn, Anatoliy, Schneider, Hartmut and Gesing, Thorsten M.

Thermal behavior of mullite between 4 k and 1320 k

[DP-1685462](#)

Almeida, Renato S. M., Bergmueller, Eduardo L., Luehrs, Hanna, Wendschuh, Michael, Clauss, Bernd, Tushtev, Kamen and Rezwan, Kuroschi

Thermal exposure effects on the long-term behavior of a mullite fiber at high temperature

[DP-1685559](#)

Rodriguez, Carmen P., Chun, Jaehun, Crum, Jarrod V., Canfield, Nathan L., Ronnebro, Ewa C. E., Vienna, John D. and Kruger, Albert A.

Thermal properties of simulated hanford waste glasses

[DP-1685575](#)

Bai, Yuelei, Kong, Fanyu, He, Xiaodong, Li, Ning, Qi, Xinxin, Zheng, Yongting, Zhu, Chuncheng, Wang, Rongguo and Duff, Andrew Ian

Thermal shock behavior of Ti_2AlC from 200 degrees c to 1400 degrees c

[DP-1685590](#)

Wang, Ge, Li, Yizhe, Murray, Claire A., Tang, Chiu C. and Hall, David A.

Thermally-induced phase transformations in $\text{Na}_0.5\text{Bi}_0.5\text{TiO}_3\text{-K}_2\text{NbO}_3$ ceramics

[DP-1685694](#)

Hunault, Myrtille O. J. Y., Vinel, Vincent, Cormier, Laurent and Calas, Georges

Thermodynamic insight into the evolution of medieval glassworking properties

[DP-1685768](#)

Cao, Zhanmin, Xie, Wei, Qiao, Zhiyu and Xing, Xianran

Thermodynamic modeling of the $\text{HfO}_2\text{-La}_2\text{O}_3\text{-Al}_2\text{O}_3$ system

[DP-1685775](#)

Koryttseva, Anastasia, Webster, Nathan A. S., Pownceby, Mark I. and Navrotsky, Alexandra

Thermodynamic stability of sfca (silico-ferrite of calcium and aluminum) and sfca-i phases

[DP-1685790](#)

Sahu, Sulata K. and Navrotsky, Alexandra

Thermodynamics of copper-manganese and copper-iron spinel solid solutions

[DP-1685804](#)

Wang, Daya, Shu, Qifeng, Yan, Baijun, Wu, Liushun, Wang, Jue and Dong, Yuanchi

Thermodynamics of the $\text{CaO-SiO}_2\text{-VOx}$ system at 1873 k under the oxygen partial pressure of 6.9×10^{-11} atm

[DP-1685814](#)

Dilner, David, Pavlyuchkov, Dmytro, Zienert, Tilo, Kjellqvist, Lina and Fabrichnaya, Olga

Thermodynamics of the mg-mn-o system-modeling and heat capacity measurements

[DP-1685815](#)

Zhou, Zhiwei, Yang, Junyou, Jiang, Qinghui, Zhang, Dan, Xin, Jiwu, Li, Xin, Ren, Yangyang and He, Xu

Thermoelectric performance of sn₂te with zno carrier compensation, energy filtering, and multiscale phonon scattering

[DP-1685827](#)

Vaney, Jean-Baptiste, Carreaud, Julie, Morin, Cedric, Delaizir, Gaelle, Piarristeguy, Andrea, Colas, Maggy, Cornette, Julie, Le Parc, Rozenn, Alleno, Eric, Monnier, Judith, Ribes, Michel, Escalier, Ra

Thermoelectric properties and stability of glasses in the cu-as-te system

[DP-1685828](#)

Purwar, Anupam and Basu, Bikramjit

Thermo-structural design of zrb₂-sic-based thermal protection system for hypersonic space vehicles

[DP-1685857](#)

Keech, Ryan, Morandi, Carl, Wallace, Margeaux, Esteves, Giovanni, Denis, Lyndsey, Guerrier, Jonathon, Johnson-Wilke, Raegan L., Fancher, Chris M., Jones, Jacob L. and Trolier-McKinstry, Susan

Thickness-dependent domain wall reorientation in 70/30 lead magnesium niobate- lead titanate thin films

[DP-1685863](#)

Cocco, Alex P., DeGostin, Matthew B., Wrubel, Jacob A., Damian, Peter J., Hong, Tao, Xu, Yun, Liu, Yijin, Pianetta, Piero, Amoroso, Jake W., Brinkman, Kyle S. and Chiu, Wilson K. S.

Three-dimensional mapping of crystalline ceramic waste form materials

[DP-1685876](#)

Wang, Xun, Yan, Wenbo, Zhang, Yuwei, Zhang, Lixia, Shi, Lihong, Huang, Yingying, Wu, Meng, Wang, Xuliang and Chen, Hongjian

Threshold effect in the mg-doping dependence of the photocatalytic ability of linbo₃ nanoparticles

[DP-1685877](#)

Cushman, Cody V., Zakel, Julia, Sturgell, Brandon S., Major, George I., Lunt, Barry M., Bruener, Philipp, Grehl, Thomas, Smith, Nicholas J. and Linford, Matthew R.

Time-of-flight secondary ion mass spectrometry of wet and dry chemically treated display glass surfaces

[DP-1685891](#)

Moghaddam, Hatameh Asgari and Mohammadi, Mohammad Reza
Tio₂-batio₃ nanocomposite for electron capture in dye-sensitized solar cells

[DP-1685898](#)

Oey, Tandre, Kumar, Aditya, Pignatelli, Isabella, Yu, Yingtian, Neithalath, Narayanan, Bullard, Jeffrey W., Bauchy, Mathieu and Sant, Gaurav

Topological controls on the dissolution kinetics of glassy aluminosilicates

[DP-1685914](#)

Xu, Jian, Ueda, Jumpei and Tanabe, Setsuhisa

Toward tunable and bright deep-red persistent luminescence of cr³⁺ in garnets

[DP-1685937](#)

Shimotsuna, Yasuhiko, Kubota, Sho, Murata, Atsushi, Kurita, Torataro, Sakakura, Masaaki, Miura, Kiyotaka, Lancry, Matthieu and Poumellec, Bertrand

Tunability of form birefringence induced by femtosecond laser irradiation in anion-doped silica glass

[DP-1686048](#)

Lu, Huiqing, Sun, Ying, Deng, Sihao, Shi, Kewen, Wang, Lei, Zhao, Wenjun, Han, Huimin, Deng, Shenghua and Wang, Cong

Tunable negative thermal expansion and structural evolution in antiperovskite mn₃ga_{1-x}gexn (0 ≤ x ≤ 1.0)

[DP-1686055](#)

Song, Jiyue, Zhao, Bangchuan, Huang, Yanan, Qin, Yanfeng, Song, Wenhai and Sun, Yuping

Tuning of conductive type and magnetic properties of ca₃co₂o₆ ceramics through pb-doping

[DP-1686059](#)

Durandurdu, Murat

Two successive amorphous-to-amorphous phase transformations in tio₂

[DP-1686069](#)

Yadav, Devinder and Raj, Rishi

Two unique measurements related to flash experiments with yttria-stabilized zircon

[DP-1686070](#)

Zhang, Gao-qun, Guo, Jing and Wang, Hong

Ultra-low temperature sintering microwave dielectric ceramics based on ag₂o-moo₃ binary system

[DP-1686090](#)

Xu, Bingqing, Luo, Yidong, Liu, Ting, Zhang, Qinghua, Lin, Yuan-Hua, Nan, Ce-Wen, Shen, Yang, Chen, Rujun, Xu, Hong and Li, Jingwei

Ultrathin n-doped carbon-coated TiO_2 coaxial nanofibers as anodes for lithium ion batteries

[DP-1686099](#)

Jung, Sung Suk, Kim, Gi Beom and Sohn, Il

Understanding the solidification of stainless steel slag and dust mixtures

[DP-1686109](#)

Deshkar, Ambar, Marcial, Jose, Southern, Scott A., Kobera, Libor, Bryce, David L., McCloy, John S. and Goel, Ashutosh

Understanding the structural origin of crystalline phase transformations in nepheline ($\text{NaAlSi}_3\text{O}_8$)-based glass-ceramics

[DP-1686110](#)

Endo, Jun, Inaba, Seiji, Muto, Hiroyuki and Ito, Setsuro

Unusual indentation behavior of alkali metaphosphate glass above glass transition temperature

[DP-1686129](#)

Rout, Annapurna, Panigrahi, Bhabani Shankar, Nayak, Chandrani, Bhattacharyya, Dibeyndu and Jha, Shambhu Nath

Uranium speciation and its site occupancy in alkaline-earth borophosphates

[DP-1686140](#)

Zheng, Qiuju and Mauro, John C.

Viscosity of glass-forming systems

[DP-1686293](#)

Zhang, Huixing, Fidelis, Clara Lana, Serva, Ana Luiza Teixeira, Wilhelm, Michaela and Rezwan, Kurosch

Water-based freeze casting: Adjusting hydrophobic polymethylsiloxane for obtaining hierarchically ordered porous SiOC

[DP-1686372](#)

Xu, Shuchao, Wang, Zhijun, Li, Panlai, Li, Ting, Bai, Qiongyu, Sun, Jiang and Yang, Zhiping

White-emitting phosphor $\text{Ba}_2\text{B}_2\text{O}_5:\text{Ce}^{3+}, \text{Tb}^{3+}, \text{Sm}^{3+}$: Luminescence, energy transfer, and thermal stability

[DP-1686426](#)

Cao, JiangKun, Hu, FangFang, Chen, LiPing, Guo, Hai, Duan, Changkui and Yin, Min

Wide-range thermometry based on green up-conversion luminescence of $\text{K}_3\text{LuF}_6:\text{Yb}^{3+}/\text{Er}^{3+}$ bulk oxyfluoride glass ceramics

[DP-1686431](#)

Harris, William H., Guillen, Donna P., Klouzek, Jaroslav, Pokorny, Richard, Yano, Tetsuji, Lee, SeungMin, Schweiger, Michael J. and Hrma, Pavel

X-ray tomography of feed-to-glass transition of simulated borosilicate waste glasses

[DP-1686486](#)

Liu, Yan, Pan, Bin, Li, Zhi, Xiang, Hui, Qian, Jun, Du, Gehai, Huang, Simin, Yao, Xin, Izumi, Mitsuru and Wang, Ying

Yba₂cu₃o₇-delta superconductor bulks composited by y₂ba₂cu₃o₅ nanoparticles derived from homogeneous nucleation catastrophe

[DP-1686497](#)

Xu, Jiale, Hu, Lei, Song, Yuzhu, Han, Fei, Qiao, Yongqiang, Deng, Jinxia, Chen, Jun and Xing, Xianran

Zero thermal expansion in cubic mgzrf₆

[DP-1686518](#)

Geng, Xiao-Yu, Zhang, Ji, Wang, Rui-Xue, Deng, Xian-Zhu, Sun, Lei, Gu, Zheng-Bin and Zhang, Shan-Tao

Zno-enhanced electrical properties of bi_{0.5}na_{0.5}tio₃-based incipient ferroelectrics

[DP-1686547](#)

Maksimowski, Pawel, Kasztankiewicz, Anna B. and Kopacz, Wioleta

3,3-bis(azidomethyl)oxetane (bamo) synthesis via pentaerythritol tosyl derivatives

[DP-1692592](#)

Liu, Xueling and Wang, Yue

A comparative study of the explosion characteristics of ipn and ipn/jp-10 mixtures in air aerosols

[DP-1692600](#)

Moxnes, John F., Hansen, Finn K., Jensen, Tomas L., Sele, Marta L. and Unneberg, Erik

A computational study of density of some high energy molecules

[DP-1692604](#)

Zhang, Yu, Zou, Po and Luo, Jun

A groundbreaking stepwise protocol to prepare hmx from dpt: New mechanism hypothesis and corresponding process study

[DP-1692626](#)

Zhang, Zhi Bin, Xu, Cai Xia, Yin, Xin and Zhang, Jian Guo

A new energetic salt semicarbazide 5-dinitromethyltetrazolate: A promising explosive alternative

[DP-1692641](#)

Keshavarz, Mohammad Hossein, Abadi, Yasin Hayat, Esmaeilpour, Karim, Damiri, Sajjad and Oftadeh, Mohsen

A novel class of nitrogen-rich explosives containing high oxygen balance to use as high performance oxidizers in solid propellants

[DP-1692652](#)

Gao, Han, Du, Ping, Ke, Xiang, Liu, Jie, Hao, Gazi, Chen, Teng and Jiang, Wei

A novel method to prepare nano-sized cl-20/nq co-crystal: Vacuum freeze drying

[DP-1692656](#)

Lee, Peter R.

A simple theoretical method for determining the sensitivity of bare explosives to detonation by projectile impact

[DP-1692676](#)

van Hulst, Monique, Langenberg, Jan P., de Klerk, Wim P. C. and Alblas, Marcel J.

Acute toxicity resulting from human exposures to military smokes

[DP-1692700](#)

Herrmann, Michael, Foerter-Barth, Ulrich, Bohn, Manfred A. and Borne, Lionel

Aging of standard and insensitive rdx crystals investigated by means of x-ray diffraction

[DP-1692710](#)

Liu, Xin, Ao, Wen, Liu, Huan and Liu, Peijin

Aluminum agglomeration on burning surface of nepe propellants at 3-5 mpa

[DP-1692718](#)

Alliod, Charlotte, Chemelle, Julie-Anne, Jacob, Guy and Terreux, Raphael

Ames test prediction on high energy molecules by on-the-fly qsar (otf-qsar)

[DP-1692721](#)

Hande, Pankaj E., Samui, Asit B. and Kulkarni, Prashant S.

An efficient method for determination of the diphenylamine (stabilizer) in propellants by molecularly imprinted polymer based carbon paste electrochemical sensor

[DP-1692738](#)

Rothstein, Sarah A., Dube, Pascal and Anderson, Stephen R.

An improved process towards hexahydro-1,3,5-trinitroso-1,3,5-triazine (tnx)

[DP-1692743](#)
